



Going green with long lasting tools®

2015 - 2016 GENERAL CATALOGUE





## ADMINISTRATION

HEADQUARTER :  
EDMA S.A.S  
TECHNOPARC EPSILON 1  
616, Rue Isaac Newton  
83700 SAINT-RAPHAËL  
FRANCE

Phone : +33 (0) 44 94 44 70 70  
Fax : +33 (0) 44 94 44 70 71  
Website : [www.edma.fr](http://www.edma.fr)  
Email : [contact@edma.fr](mailto:contact@edma.fr)

**EDMA**  
**SUPERPROSERIE**  
009 23 16 22

## EDMA

TVA : FR 704 800 74 327  
SIRET : 480 074 327 00028  
Eco Packaging / "point vert" : N°1044  
Bar code member 4760600100  
TÜV : 71100 1788-1  
GT Handles design patent : 044361  
Slogan :  
"Des outils Durables pour un  
développement Durable"  
on 09/10/2006 : 634 552 47

## COPYRIGHT

All copyright, even partial, reserved in  
France and abroad.

GRAPHIC DESIGN  
COMKWATT SARL  
123 Rue Waldeck Rousseau,  
C.A de la Gare  
83700 Saint-Raphaël  
FRANCE

Tél. : 04 94 17 03 82  
Website: [www.comkwatt.com](http://www.comkwatt.com)  
Email : [contact@comkwatt.com](mailto:contact@comkwatt.com)  
Photos : EDMA, COMKWATT,  
SHUTTERSTOCK

# SUMMARY

2015 - 2016 GENERAL CATALOGUE

HISTORY	P.5
INTRODUCTION	P.6
DRYWALL TOOLS	P.8
MASONRY TOOLS	P.48
EXTERNAL WALL INSULATION TOOLS	P.54
ROOFING TOOLS	P.60
FLOORING TOOLS	P.104
WOODEN DECKING TOOLS	P.114
WIRE NET FENCING & GABION TOOLS	P.122
SPARE PARTS	P.136
INDEX	P.138
WEBSITE	P.146

**BAILLET-EN-FRANCE (95) - PRODUCTION / R&D PLANT**



**SAINT-RAPHAEL (83) - LOGISTIC / COMMERCIAL PLANT**





# HISTORY



- 1937** : Creation of the private company Pierre GREHAL.
- 1950** : Introduction of the famous EDMA® nibbler shears available in 6 specific models.
- 1953** : EDMA® becomes a registered trade mark.
- 1984** : Roger MALAGNOUX, Mr Pierre GREHAL's son-in-law, takes the leadership of the firm. He owns many French and international patents.
- 1993** : "Silver Key" award for the export activity, by OUTILEX, former export association of SIO (Industry and Tool manufacture Syndicate).
- 1994** : "Mercury" award for the export activity, by the Chamber of Commerce of Yvelines-Val d'Oise.
- 1995** : Michel MARCON, Mr Pierre GREHAL's last son-in-law, managing director since 1977, takes the leadership of the company.
- 1996** : INPI award for regional innovation at QUOJEM trade fair for a unique rack expension tool : ULTRA FIX.  
New environmentally-friendly packaging for the tools : "PACK ECO".
- 2002** : Translated into 9 languages, with 6 colors referring to each range of tools, and the use of pictograms.  
Ets P. GREHAL is awarded TÜV ISO 9002 quality certificate.
- 2004** : Certification TÜV ISO 9001 (vs 2000).  
EDMA® becomes an international trade mark.  
Patent registration for the GT handles (EDMA design, 2 colors and 2 materials).
- 2005** : The EDMA® brand becomes EDMA SAS a subsidiary of Pierre Grehal.
- 2006** : Creation of EDMA S.A.S., subsidiary of Pierre GREHAL company, located on a 3.300 m<sup>2</sup> site in St Raphaël (83 FRANCE).  
EDMA S.A.S. new structure is certified TÜV ISO 9001 (vs 2000).
- 2007** : INPI award for innovation, Area Ile de France.  
Renewal of our Quality TÜV certification ISO 9001 (vs 2000).  
Michel MARCON, president of the group, is elected chairman of the French Tool Manufacturing Industry Association (S.I.O.), which is associated with the Mechanic Industry Federation (F.I.M.).
- 2010** : Creation of naming « SUPERPROSERIE » for professional builders.  
Creation of new ergonomic handle.
- 2012** : 75 years of activity.  
Transfer of our plant from St-Brice (95) to Baillet en France (95).  
New plant of 4.200 m<sup>2</sup> located in an industrial park.
- 2013** : Sébastien NEGRE, financial director, succeeds Michel MARCON for the group management.

# INTRODUCTION

Since 1937, EDMA company has been manufacturing hand tools for professional constructors.

Today, EDMA product line is dedicated for 7 different ranges :

- DRYWALL TOOLS
- MASONRY TOOLS
- EXTERNAL WALL INSULATION TOOLS
- ROOFING TOOLS
- FLOOR COVERING TOOLS
- DECKING TOOLS
- GABION AND FENCING TOOLS

The company strategy is to develop innovative tools for time saving and effort saving solutions to professional contractors.



## ENVIRONMENT-FRIENDLY PRODUCTION

To preserve the environment, EDMA® has always had a strategy of sustainable development. EDMA® manufacturing process emits no toxic substances into the atmosphere.

EDMA® headquarters are based in an ISO 14001 certified industrial techno park, where each company must meet rigorous standards in terms of ecology, such as waste management or reduction of energy consumption.

EDMA® Production sites are set up in France in order to reduce the transport of goods and therefore limit greenhouse gas emissions.

All the EDMA® tools are manufactured according to the REACH standard prohibiting the use of toxic chemicals harmful to consumers.

The EDMA® packaging is designed to highlight the advantages of the tools on a minimal communication space.

The «TOUCH PACK» packaging offers an opportunity to see and touch the product. They are made from recycled plastic and 100% recyclable paper sheets printed under the «IMPRIM VERT» green label.

## USER SAFETY

EDMA® tools are designed to limit efforts in use and help fight against musculoskeletal disorders (MSDs).

EDMA® tools are reliable to use and produce no noise or volatile dust, that can be harmful to user health.

The EDMA® tools with SUPERPRO SERIES® label, are designed for heavy-duty use, thanks to high quality manufacturing processes, the finest raw materials and new ergonomic and antiskid plastic handles (registered design) for user comfort.

# EDMA QUALITY

Since 1937, EDMA® has developed « sustainable tools for a sustainable environment®.»

For this purpose, the group is certified ISO 9001: 2000 for all its business processes.

To ensure its customers optimum and constant product quality EDMA® designs and manufactures its tools in France.

Each EDMA® tool is tested in situations prior to marketing.



# INNOVATION

The Research & Development department of EDMA® is dedicated to continually meet the needs of professionals and develop the construction and public works market in France and internationally.

EDMA® innovations are the result of an extensive field study in collaboration with a network of professional craftsmen to meet their application requirements.

EDMA® strives to develop practical and ergonomic tools, saving time and effort for the user.

A constant registration process of patents, trademarks and models accompanies the launch of new EDMA® tools.



# WARRANTIES

All EDMA® tools are 2 years warranty.

(Except pneumatic tools : one year and laminate flooring guillotine : five years).

EDMA® replaces faulty products in case of manufacturing defect when the tool is used normally.

For each client claim about faulty product, our quality department gives an appropriate reply within 10 days.



# A TEAM AT YOUR SERVICE

The logistics department of the group is equipped with the best storage and shipping equipment to meet order preparation deadlines within 48 hours.

Our 4 sales secretaries speak French, English, Spanish and German. They are at your disposal for all commercial requests.

Our sales team covers the entire territory to assure frequent visits to our customers.

EDMA® is established in over 60 countries worldwide across the 5 continents. Our export salesmen are EDMA® ambassadors globally and all our foreign partners are visited each year to ensure optimum commercial development.

EDMA® also attends many international construction equipment exhibitions.





4 40 22  
5 23 24 25  
6 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



# DRYWALL TOOLS

010755

FLYER'S

Forged aviation snip



- Cutting capacities :
  - 1.2 mm (16 ga ; 0.047") : sheet metal, galvanised, zinc.
  - 0.8 mm (20 ga ; 0.031") : stainless steel.
- Drop forged chromium molybdenum steel jaws.
- Powerful and long lasting handle spring.
- One hand automatic latch release.
- Fast cut with minimum effort of 42 mm.
- Finger guard.
- New SUPERPRO SERIE grip.



310780

COUNTER DISPLAY FLYER'S



x 10

Gencod : 3476063107807

4885 g

Gencod : 3476060001078

450 g



010955

APOLLO

Forged aviation snip right cut



- Compound action shape snips.
- Cutting capacities :
  - 0.9 mm (19 ga ; 0.035") : stainless steel.
  - 1 mm (18 ga ; 0.039") : blue sheet steel.
  - 1.2 mm (16 ga ; 0.047") : galvanised sheet, zinc.
  - 1.5 mm (15 ga ; 0.059") : copper, brass, sheet metal.
  - 2 mm (12 ga ; 0.078") : PVC, aluminium.
  - 2.5 mm (10 ga ; 0.098") : polycarbonate.
- Cuts up to 35 mm at once.
- Finger guard.
- New SUPERPRO SERIE grip.



109055

Left cut



Gencod : 3476060010902

525 g



Gencod : 3476060001092

525 g



074555

PLURICOUP' ERGO Multi-purpose pliers with angled blades



- Light and easy to handle.
- 42 mm stainless steel polished serrated blades.
- Unbreakable ergonomic arms and easy-to-close catch.
- Applications : home improvement, painting, gardenning, textile industry, maintenance, construction, industry.
- Angled blades for an optimum comfort.



Gencod : 3476060007452

167 g



374510

COUNTER DISPLAY PLURICOUP ERGO

x 10

Gencod : 3476063745108

2000 g

073555

PLURICOUP' TOUT Multi purpose pliers



Gencod : 3476060007353

168 g

O65804

**PROFILCUT MEGA**

Guillotine for studs and tracks up to 125 mm width



- Up to 125 mm max. width and 60 mm max. height.
- Effortless clean cut without blur.
- Time saving.
- Noise free.
- No risk of fire because of the lack of sparks.
- Able to cut ceiling suspension system and metal corner beads.



Gencod :3476060006585 12760 g

**DRYWALL TOOLS****METAL STUDS AND TRACKS CUTTING SOLUTIONS**

060055

## PROFIL

Section setting pliers for studs and tracks


«The Original»



PATENTED



- Max. capacity : 1 + 1 mm.
- New patented punch.
- 60 % easier to fasten.
- 30 % less effort.



Gencod : 3476060006004 930 g



060155

PUNCHING BLADE FOR PROFIL



Gencod : 3476060006011 45 g



061055

## PROFIL 2 RM

Section setting pliers for studs and tracks

«The Original»



PATENTED



- Special renovation.
- Max. capacity : 0,8 + 0,8 mm.
- For right and left setting.
- Articulated head.
- New patented punch.
- 60 % easier to fasten.
- 30 % less effort.



Gencod : 3476060006103 700 g

062055

## MASTER PROFIL

One hand section setting pliers for studs and tracks

«The Original»

PATENTED



- One handed compound action.
- Max. capacity : 1 + 1 mm.
- Sprung handle.
- New patented punch.
- 60 % easier to fasten.
- 30 % less effort.



O62155

PUNCHING BLADE FOR MASTER PROFIL



Gencod : 3476060006219 17 g

O62255

5 SPRINGS FOR MASTER PROFIL



Gencod : 3476060006226 31 g



Gencod : 3476060006202 720 g

**O61955****ERGOTOP****Section setting pliers for all type of studs and tracks**

«The Original»

**PATENTED**

300 mm



- For all type of studs and tracks.
- Max. capacity : 1 + 1 mm.
- Special renovation.
- For right and left setting.
- New patented punch.
- 60 % easier to fasten.
- 30 % less effort.

Gencod : 3476060006196 760 g

**O61855**

PUNCHING BLADE FOR POWER PROFIL &amp; ERGOTOP




Gencod : 3476060006189 10 g

**O66855****ULTRA PROFIL****One hand section setting pliers for all type of studs and tracks, without any effort****PATENTED**

- For all types of studs and tracks.
- One handed compound action to crimp studs and tracks without any effort, thanks to its 5 notch ratchet system.
- Max capacity : 1 + 1 mm.
- New patented punch.
- 60 % easier to fasten.
- 30 % less effort.



Gencod : 3476060006684 825 g

**566855**

PUNCHING BLADE FOR ULTRA PROFIL



Gencod : 3476060056689 34 g

**METAL STUDS AND TRACKS SETTING SOLUTIONS****DRYWALL TOOLS**


16O455

## DUO PROFIL

Section setting pliers for back-to-back studs



- Specially designed for back-to-back studs crimping.
- Recommended in case of ceiling above 2,50 m height.
- Regular stud-to-track crimping up to 70 mm width.
- Max.capacity : 1 + 1 mm.

**26O455**

REPLACEABLE PUNCHING BLADE FOR DUO PROFIL



Gencod : 3476060026040 34 g

**610000**

COUNTER DISPLAY DUO PROFIL

x 3



Gencod : 3476066100003 4900 g

Gencod : 3476060016041 1490 g

161455

## POWER PROFIL

Automatic section setting pliers for all type of studs and tracks, fits on drills

**PATENTED**


210 mm



- Can crimp all types of studs and tracks (even F530 studs for ceiling application).
- No crimping effort : let the drill do the job !
- Max. capacity : 1 + 1 mm.
- Fits all types of drills/screwdrivers (from 10,8 Volts).

**O61855**

PUNCHING BLADE FOR POWER PROFIL &amp; ERGOTOP



Gencod : 3476060006189 10 g

Gencod : 3476060016140 10 g



064055

DUOPLAC

2 board carrier handles



- Ø 15 mm steel handles for board transport by 2 persons.
- Carries up to 2 boards.
- Soft rubber grips.
- Durable tool.
- Can be attached to belt.



Gencod : 3476060006400 1260 g

064555

TRANSPLAC

Heavy duty board lifter



- Allows boards and sheets to be carried by just one person.
- New wide base for better panel seating.



Gencod : 3476060006455 1240 g

069655

TRANSPLAC EASY PE-HD board lever



- Allows board to be carried by one person only.
- Light and handy tool.
- Efficient and secure design for board holding.



Gencod : 3476060006967 315 g



066055

**FOOTPLAC****Board lever with steel stirrup**

- Allows board to be lifted for accurate positioning thanks to its rocker system.
- Wide base prevents board damage while improving panel seating.
- Also ideal for unhinging doors.
- New extra wide loop suitable for all safety footwear.



Gencod : 3476060006608 925 g

066555

**BLOCPLAC II****Board holder**

- Allows to work alone thanks to the moveable block.
- Practical to lift and hold the board or insulation panel in position while screwing it to the metallic frame.
- Durable tool and easy to use.
- Offset handle.
- Beveled edge to avoid damaging the plasterboard.



Gencod : 3476060006653 1515 g

269055

**SLAB LIFTER****Adjustable brick carrier 380-625 mm**

- Quick adjustment system.
- Ideal to carry easily terrace slabs (concrete or wood).
- Adjustable up to 625 mm width max. and 380 mm mini.

**PLASTERBOARD HANDLING SOLUTIONS****DRYWALL TOOLS**



066155

## 160-290 CM MEDIUM QUICK SUPPORT



- Allows to maintain gypsum plates underneath ceilings or pitched roofs with fixation carefully.
- Extendable from 160 cm to 290 cm.
- 90° max. support : 60 kg.
- 65° max support : 20 kg.
- Safety lock.
- NEW articulated top and bottom pads (20 x 6 cm)
- Certified GS German norm.
- New handle.



Gencod : 3476060006615 2200 g

066355

## 75-125 CM SMALL QUICK SUPPORT



- Allows to hold material in vehicle.
- Extendable from 75 cm to 125 cm.
- 90° max. support : 60 kg.
- 65° max support : 20 kg.
- Safety lock.
- Articulated top and bottom head.
- Certified GS German norm.



Gencod : 3476060006639 1370 g

067855

## 210-390 CM GIANT QUICK SUPPORT



- Allows to maintain gypsum plates underneath ceilings or pitched roofs with fixation carefully.
- Extendable from 210 cm to 390 cm.
- 90° max. support : 60 kg.
- 65° max support : 20 kg.
- Safety lock.
- NEW articulated top and bottom pads (20 x 6 cm)
- Certified GS German norm.
- New handle.



Gencod : 3476060006783 3100 g

161055

**PRESS PLAC PRO**

Vertical support for plasterboard



- Minimum working required space for cutting, drilling or planing.
- Holding height : 32 cm.
- Lock screw for perfect holding.
- With carriage handle.



Gencod : 3476060016102

9350 g



163155

**DRYWALL SCORING SQUARE**

515 mm



- Fast and neat straight cut.
- Max.62 cm.
- Perfect for scoring and cutting.
- Accept all type of utility knife.
- Double measurement unit : inch/mm.



Gencod : 3476060016317


615 g



160655

**DRYWALL UTILITY KNIFE**

with 25 mm snap-off blades



- Comes with 3 blades.
- Security locking blade action.
- Ergonomic and heavy duty design.

Gencod : 3476060016065

290 g

**160600**  
COUNTER DISPLAY CUTTER  
WITH 25 MM SNAP-OFF  
BLADES

**160755**  
10 SNAP-OFF BLADES, 25 MM

Gencod : 3476061606005

3420 g

Gencod : 3476060016072

188 g





064755

**VARIO RAP**

Plane for plasterboards &amp; wood



- 3 adjustable working positions.
- Replaceable rasps.

**164755**

FLAT RASP FOR VARIORAP



Gencod : 3476060016478

47 g

**264755**

ROUNDED RASP FOR VARIORAP



Gencod : 3476060026477

50 g



Gencod : 3476060006479

425 g

**066755****EASY RAP**

mini plane for plasterboard



- Replaceable rasp.
- Ergonomic design.

Gencod : 3476060006677

185 g

**166755**

FLAT RASP FOR EASYRAP



Gencod : 3476060016676

32 g

**060655****FOLDABLE SAFETY KNIFE WITH HOLSTER**

- Retractable utility knife PRO for trapeze blades ref. 199255 and hook blades ref. 199655.
- 4 blades storage compartment.
- With belt holster.

**360655**

COUNTER DISPLAY 6 PCS OF FOLDABLE SAFETY KNIFE

**199255**

10 LARGE CUTTING UTILITY BLADES



**O67055****CROCOPLAC II**

150 mm jab saw with teeth on both sides and holster included

**NEW**

- Keyhole saw, useful for making cut-outs in plasterboard precast concrete, wood wall boards, etc.
- Triple bezel blade.
- Teeth on both sides for multidimensional cutting.
- Light and easy to handle.
- Ergonomic bi-material handle.




HOLSTER INCLUDED.

Gencod : 3476060006707 225 g

**O67255****CROCOPLAC II**

250 mm jab saw with teeth on both sides and holster included

**NEW**

- Keyhole saw, useful for making cut-outs in plasterboard precast concrete, wood wall boards, etc.
- Triple bezel blade.
- Teeth on both sides for multidimensional cutting.
- Light and easy to handle.
- Ergonomic bi-material handle.





HOLSTER INCLUDED.

Gencod : 3476060006721 280 g

**O62955****PLAC & ROLL**

Drywall stripper for cutting plaster strips



- Allows to cup up to 150 mm thick plaster strips.
- Stainless steel wheels.
- Up to 18 mm (0,708") thick with guide handle.
- Rail and metal framework fire protection (cribbed beam).
- Adjunction of allowance plaster strips in order to increase metal framework fire stability.
- Cutting strips to get neat edges.
- Repairing boards with damaged and dirty corners due to poor handling.
- Board height and width adjustment.

**VIDEO****162955**

SET OF 2 SPARE WHEELS FOR PLAC&amp;ROLL



Gencod : 3476060016294 18 g

Gencod : 3476060006295 1068 g



164255

**PLAC & ROLL 600 Drywall stripper 600 mm**

- For cutting plasterboard neatly and safely across its width (1200 mm).
- Cutting capacity = 600 mm wide and 25 mm thick.
- Avoids having to use a cutter.
- Replaceable stainless steel wheels (ref. 162955).
- Protection cap.
- Bi-material handle.

**PLASTERBOARD CUTTING SOLUTIONS****DRYWALL TOOLS****162955**SET OF 2 SPARE WHEELS FOR  
PLAC&ROLL

**O62855****CORNER FIX**

Hand tool for fixing metal corner beads

**262855**

NYLON TIP



Gencod : 3476060026286 50 g

**162855**

SET OF 2 JAWS FOR CORNER FIX





Gencod : 3476060016287 25 g



- To crimp metal corner bead on outside corner drywall.
- Nylon tip.
- Ergonomic design.
- Replaceable jaws.
- Easy punching.

187 mm




Gencod : 3476060006288 870 g

**O69255****RAP-PLAC VERSATILE**

Chamfering plane for plasterboard



- Chamfering angle : from 22 to 45°.
- Zinc plated steel body = durable tool.

**199255**

10 LARGE CUTTING UTILITY BLADES



Gencod : 3476060019929 51 g



Gencod : 3476060006929 570 g

PLASTERBOARD CUTTING SOLUTIONS


DRYWALL TOOLS



062755

30 M RED LINE ECO

Ultra light chalk line reel



120 mm



- Built-in filter system preventing excess chalk.
- Cord diameter : 1 mm.
- Capacity : 80 g.

Gencod : 3476060006271 120 g

060555

30 M FAST LINE

Fast rewinding chalk line reel



140 mm



360555

COUNTER DISPLAY FAST LINE



x 8




- Rewinds 5 times faster.
- Built-in filter system preventing excess chalk.
- Cord diameter : 1 mm.
- Capacity : 100 g.

Gencod : 3476060006056 130 g

060755

30 M ALU LINE

Alu chalk line reel



120 mm



360755

COUNTER DISPLAY ALU LINE



x 8



- Built-in filter system preventing excess chalk.
- Cord diameter : 1 mm.
- Capacity : 80g.

Gencod : 3476060006073 177 g

260955

30 M MAX LINE

Chalk line reel with large handle (capacity : 400 g)



255 mm




- Chalk line reel with large handle for long distance marking.
- Special for bricklayer.
- Built-in filter system restricting excess chalk.
- Cord diameter : 2,5 mm.

Gencod : 3476060026095 600 g

O60955

50 M MAX LINE

Chalk line reel with large handle (capacity : 300 g)



255 mm

Gencod : 3476060006097 600 g

O63355

200 G BLUE MARKING CHALK



Gencod : 3476060006332 230 g



- Chalk line reel with large handle for long distance marking.
- Special for bricklayer.
- Built-in filter system restricting excess chalk.
- Cord diameter : 2,5 mm.

O63255

400 G BLUE MARKING CHALK



Gencod : 3476060006325 425 g

263655

1000 G OVERSEAS BLUE MARKING CHALK



Gencod : 3476060026361 1070 g

O63155

1000 G BLUE MARKING CHALK



Gencod : 3476060006318 1035 g

O65255

3500 G BLUE MARKING CHALK



Gencod : 3476060006523 4250 g

162155

## 5 M X 25 MM TAPE MEASURE



- Slip and shock resistant built-in case.
- 25 mm nylon coating blade.
- Automatic locking and return.
- Class II accuracy (0,5 mm/m).
- Belt hook.



162100

COUNTER DISPLAY  
5 M X 25 MM TAPE

X 6



Gencod : 3476061621008 1850 g



Gencod : 3476060016218 260 g

173055

## ADJUSTABLE ANGLE SQUARE



- Adjustable angle.
- Can be folded to 0° in order to save space.
- 7 mm thickness aluminium = light and durable.




Gencod : 3476060017307 1425 g

173155

## 600 MM MASON SQUARE



- Steel square.



Gencod : 3476060017314 970 g





020155

**BABY-FIX BRICO**

Expansion tool for all metal anchors



- Ideal for DIY.
- Sprung handles.
- Double hinge.
- Good support surface : 100 x 20 mm.
- New anti finger pinching system.



Gencod : 3476060002013 400 g


021155

**BABY-FIX JUNIOR**

Expansion tool for all metal anchors



- Ideal for serious DIY.
- Return spring and 2 component handles.
- Hardened steel arms and jaws.
- Double hinge.
- Good support surface : 100 x 20 mm.



Gencod : 3476060002112 440 g


020355

**FIX**

Professional expansion tool for all metal anchors



- Direct setting along the line of the hole.
- Sprung handles.
- Can be used with minimum effort.




O21355

**SUPER-FIX**

Professional expansion tool for all metal anchors



- Cranked head for setting in corners in one easy action.
- Sprung handles.
- Easy to use in confined spaces.



Gencod : 3476060002136 450 g


O23155

**SUPRA-FIX**

Professional expansion gun for all metal anchors



- Easy to use in confined areas.
- Compact.
- Support surface : 20 x 20 mm.
- Improved stroke length : 20 mm.



Gencod : 3476060002310 440 g


O23255

**ULTRA-FIX**

Professional expansion gun for all metal anchors



- 5 notch ratchet action.
- Specially designed for effortless use with anchors Ø 8 mm (5/16").
- Exceptional support surface of 30 mm.
- Easy handle release system.
- Ergonomic and anti-slip plastic handles for an optimum comfort.

**PATENTED**

Gencod : 3476060002327 545 g



069055

## CANALCUT

Precision insulation cutter



- For all types of insulation, such as : E.P.S, polyurethane, rock wool, glass wool, underfloor heating.
- 2 stainless steel blades for cuts of 35 mm (width) x 35 mm (depth) to insert sheaths of up to 32 mm diameter.
- 2 interchangeable blades
  - 1/ Casing crossover version. Thermal bridges are easily avoided during cutting.
  - 2/ 80 cm blade for curved shape removal. Scoring EPS/ plasterboard. Roofing water insulation grading. Cuts insulation material.
- Complies with RT 2012.



O69555

SPARE BLADES - TWIN 35 X 35 MM FOR CANALCUT



Gencod : 3476060006950

105 g



O68155

4 BLADES SET 40, 60, 80, 100 MM FOR CANALCUT



Gencod : 3476060006813

135 g



Gencod : 3476060006905


850 g

066455

## 300 MM INSULATION CUTTER



- Easy use for all type of insulating material.
- 2 different tooth shapes.
- Supplied with holster.
- Symmetrical double component handle.
- Can be used to cut without any effort rock wool, glass wool, wood wool or hemp insulating panels, flax, cellulose wadding panels, etc...



Gencod : 3476060006646

255 g

168055

## 420 MM INSULATION CUTTER



- Easy use for all type of insulating material.
- 2 different tooth shapes.
- Supplied with holster.
- Symmetrical double component handle.
- Can be used to cut without any effort rock wool, glass wool, wood wool or hemp insulating panels, flax, cellulose wadding panels, etc...



Gencod : 3476060016805

286 g

067755

**CIRCLE CUTTER**

Drywall circle cutter



- Perfect for plasterboard notching.
- Max. diameter 400 mm.
- One hand use for easy pre cut.
- Use mallet or hammer to finalise the cut.



Gencod : 3476060006776 195 g

**162255 3 HOLE SAW SET Ø 60, 67, 74 mm**

- Special for plasterboard.
- Can be used for wood, PVC and plasterboard.
- Depth cut : 32 mm.



Gencod : 3476060016225 295 g

**162355 5 HOLE SAW SET Ø 68, 74, 80, 90 and 100 mm**

- Special for plasterboard.
- Can be used for wood, PVC and plasterboard.
- Depth cut : 30 mm.




Gencod : 3476060016232 575 g

**261255 HOT BALL**

Stainless steel hot ball - Diam. 35 mm



- Allows to complete trenches of 40 mm diameter in insulating materials behind gypsum walls without damaging them.
- Perfect to make your multimedia connections, switch and socket installations invisible.
- Saves time = no need to dig into the wall, to replaster it or to repaint it.
- STEP 1 : pierce 2 holes 40 mm diameter minimum into the gypsum wall, in vertical sens to each other 2,50 m distance maximum.
- STEP 2 : heat the hot ball with welding torch during 5 minutes.
- STEP 3 : introduce the hot ball into the hole above. That melts the polystyrene to make a channel connecting the 2 holes.




Gencod : 3476060026125 600 g





162655

**HSS STEP DRILL**

Use for precision drilling of sheet metal and plastic up to 30 mm



- Drilling Ø : from 4 to 30 mm in 2 mm increments.
- Max. drilling depth : 3 mm.
- Stud drilling (even back-to-back type) to insert sheaths.



Gencod : 3476060016263 180 g

163955

**DRILL BIT HOLDER**

Philips No.2 drill bit for fixing PE-HD, plasterboard



- Drill bit with auto stop function for fast fixing without damaging the board.
- Ideal for fixing plasterboard.
- 12 PH2 bits included.
- Fits most types of drills/screwdrivers.



Gencod : 3476060016393 157 g

263955

**6 PCS PH2 DRYWALL BIT**

- Box of 6 PH2 bits, especially for plasterboard.
- Zinc coated stopper to screw perfectly in plasterboards without drilling through them.



Gencod : 3476060026392 95 g



162455

**SCREW FINDER**

Screw finder through plasterboards



- SCREW FINDER finds hidden screws through plasterboards.
- Reuse your plasterboard and save money !
- To dismantle plasterboards safely without breaking them.
- SCREW FINDER is a pin with a spring and a magnet on its edge to find screw into metallic studs through plasterboards.
- When the magnet finds the screw, hit the SCREWFINDER with a hammer. Remove the plaster layer and you will find the screw to get off.
- The removed plasterboard can be reused.



Gencod : 3476060016249 139 g

261455

**STUD FINDER**

For wood, electrical wires, metal studs



- To detect studs and tracks made of steel, wood and electric cables behind plasterboard.
- Can detect through a 3/4 inch wall thickness.
- (Battery not included).



Steel

Wood

Electric cables





165155

**25 L RUBBER BRICKLAYER' S HOD**

- Mixture of rubber and polyethylene combining the advantages of each of these materials : lightness, resistance and flexibility.
- Reinforced edges and sides.



Gencod : 3476060016515 1140 g

164655

**12 L RUBBER BRICKLAYER' S HOD**

- Mixture of rubber and polyethylene combining the advantages of each of these materials : lightness, resistance and flexibility.
- Reinforced edges and sides.

Gencod : 3476060016461 502 g

164355

**MULTI PURPOSE PAINT TOOL**

- 5 tools in 1 : trim, scraper, paint roll cleaner, screwdriver for paint roll, taping knife.
- Steel blade hardened by treatment and protected by a varnish.
- Bi-material handle.



Gencod : 3476060016430 91 g

164555

**7 CM PUTTY KNIFE**


- Hardened steel blade and varnished 50 HRC.
- Large bevel.
- Brass ferrule.
- Wooden handle of French origin.



Gencod : 3476060016454 150 g

**O66655****STAINLESS STEEL MUD PAN**


- Ideal for repairs on plasterboard.
- Very strong.



Gencod : 3476060006660 345 g

**O66955****P.P. PLASTIC MUD PAN**

- With galvanized steel blades to strike-off excess compound.



Gencod : 3476060006691 270 g

**161855****MUD PAN HOLDER**

- Device to hold mud pan on belt.
- Allows to reduce trip on working = time saving.
- Adjustable for all pan types.





069855

## DRYWALL TAPE HOLDER



- Allows holding and dispensing drywall tape.
- Hangs on belt.
- Quick opening design makes changing tape easy.
- Made of steel and plated to prevent rust.



Gencod : 3476060006981 370 g

261655

## DRYWALL TAPER ROLLER TAPER II WITH TEK ROLL INCLUDED



- Drywall taper with TEK ROLL accessory, for an easy apply of the tapes on walls, ceilings and inside corners.



161655

TEK ROLL - Accessory for drywall tapers



Gencod : 3476060016164 200 g



Gencod : 3476060026163 1750 g

266455

## TAPE BUDDY

Joint tape machine



- To glue your tapes directly without pre-seal paste !
- Easy to use.
- A trickier compound layer is deposited in the center of the tape for optimum gluing.
- 2 possible mud load thicknesses : thin or thick.



Gencod : 3476060026644 866 g

## JOINT KNIVES



- For high drywall finishing performance.
- Ultra flexible polished stainless steel blade.
- With hardened NR2 Philips bit.
- Quick lock and unlock of the NR2 Phillips bit in the handle.

<b>169055 - 100 mm</b>	Gencod : 3476060016904		142 g
<b>169155 - 125 mm</b>	Gencod : 3476060016911		153 g
<b>169255 - 150 mm</b>	Gencod : 3476060016928		155 g



## JOINT KNIVES



- Stainless steel blade, hardened and mirror finish.
- Bi-material handle.
- Ergonomic design.

<b>165255 - 20 mm</b>	Gencod : 3476060016522		56 g
<b>165355 - 40 mm</b>	Gencod : 3476060016539		62 g
<b>165455 - 60 mm</b>	Gencod : 3476060016546		68 g
<b>165555 - 80 mm</b>	Gencod : 3476060016553		78 g
<b>165655 - 100 mm</b>	Gencod : 3476060016560		83 g
<b>165755 - 120 mm</b>	Gencod : 3476060016577		92 g
<b>165855 - 150 mm</b>	Gencod : 3476060016584		105 g





## COATING KNIVES, CURVED SHAPE

STAINLESS  
STEEL



- Special drywall knife.
- The curved shape of the blade is specially designed for good holding and taping of the compound.
- High resistance to solvents and shocks.

<b>265155 - 100 mm</b>	Gencod : 3476060026514		109 g
<b>265255 - 120 mm</b>	Gencod : 3476060026521		112 g
<b>265355 - 140 mm</b>	Gencod : 3476060026538		140 g
<b>265455 - 160 mm</b>	Gencod : 3476060026545		142 g
<b>265555 - 180 mm</b>	Gencod : 3476060026552		148 g
<b>265655 - 200 mm</b>	Gencod : 3476060026569		183 g
<b>265755 - 220 mm</b>	Gencod : 3476060026576		185 g
<b>265855 - 240 mm</b>	Gencod : 3476060026583		191 g




164055

## RUBBER JOINT KNIFE



- To joint inner angles from 60° to 170° as well as angular area and round area.
- Rubber knife with nylon tip.
- Very light and easy to wash.
- Can be used with hand or a wooden handle.





- For all finishing coating.
- Ultra flexible stainless steel blade.
- Bi-material handle.



169355 - 200 mm

Gencod : 3476060016935 203 g

169455 - 250 mm

Gencod : 3476060016942 232 g

169555 - 300 mm

Gencod : 3476060016959 261 g

169655 - 350 mm

Gencod : 3476060016966 291 g

## 166355

## 60 CM TAPING KNIFE



- Stainless steel blade mounted on rigid aluminium reinforcement.
- Bi- material ergonomic riveted handle.
- For application of compound on rough concrete substrate.

Gencod : 3476060016638 434 g

## 167055

## CORNER COATING KNIFE



- Ideal for coating in inaccessible areas.
- Polished stainless steel blade.
- Bi-material handle.



Gencod : 3476060016706 119 g

## 167955

## HALF ROUND KNIFE



- Ideal for coating in angles.
- Polished stainless steel blade.
- Bi-material handle.



Gencod : 3476060016799 127 g



## PERFECT LISS

DRYWALL TAPING SOLUTIONS

DRYWALL TOOLS



**171155 - 4 cm**

Gencod : 3476060017116 23 g



**171455 - 10 cm**

Gencod : 3476060017147 60 g



**171655 - 15 cm**

Gencod : 3476060017161 104 g



**171755 - 25 cm**

Gencod : 3476060017178 335 g



**171955 - 45 cm**

Gencod : 3476060017192 598 g



**172055 - 60 cm**

Gencod : 3476060017208 771 g



**172155 - 80 cm**

Gencod : 3476060017215 1104 g



**172255 - 100 cm**

Gencod : 3476060017222 1260 g



- Special taping knives for perfect smoothing.
- TIME SAVING ! STAINLESS STEEL, ERGONOMIC, LIGHT, ADJUSTABLE TO A POLE.
- To smooth perfectly wide area.
- Compound saving and almost no sanding.
- Ideal to smooth airless coating and taping jobs.
- BI-FLEX technology blade : tempered and flexible.



**172555**

**2 X 1 M PERFECT LISS EXTENSION**



**NEW**



- Ultra light aluminium pole.
- Easy lock system.
- For ceilings, floors and walls.

Gencod : 3476060017253 724 g

# WIPEDOWN KNIVES WITH LONG HANDLE



- For taping jobs in difficult access (stair opening, high ceiling ).
- Ultra flexible polished stainless steel blade.
- Adjustable 45° angle blade.
- Large amplitude with the telescopic handle (Ref 169955).
- Ideal for taping projected material (droplets, plaster).



**169755 - 125 mm** Gencod : 3476060016973 210 g

**169855 - 180 mm** Gencod : 3476060016980 230 g

**166155 - 230 mm** Gencod : 3476060016614 245 g

**166255 - 280 mm** Gencod : 3476060016621 260 g

**169955**

**TELESCOPIC HANDLE**

**20 mm**



- Adjustable on all wipedown knives with long handles.
- Extendable handle from 1 m to 2 m 40.
- For taping jobs in difficult access (stair opening , high ceilings).
- Working from floor allows higher security.





065455

## INSIDE CORNER TROWEL



- Application of the coating on both interior sides of the wall in one single pass.
- Very strong.
- Ergonomic handle.

Gencod : 3476060006547 220 g

065755

## OUTSIDE CORNER TROWEL



- Application of the coating on both exterior sides of the wall in one single pass.
- Special external wall insulation.
- Very strong.
- Ergonomic handle.

Gencod : 3476060006578 220 g

166455

## INSIDE CORNER ROLLER



- For tightening tape in the horizontal and vertical corners.
- With its handle of 140 cm, you can use the inside corner roller for ceiling height up to 3,5 m.
- Aluminium handle and stainless steel ball.



Gencod : 3476060016645 908 g

166655

## OUTSIDE CORNER ROLLER



- For tightening tape in the horizontal and vertical interior corners.
- With its handle of 140 cm, you can use the outside corner roller for ceiling heights up to 3,5 m.
- Aluminium handle and stainless steel ball.



Gencod : 3476060016669 805 g

**O69955****ALUMINIUM TROWEL****330 x 330 mm**


- For holding plaster before application.
- Ergonomic and smooth neoprene handle.
- Made of aluminium.
- Corrugated surface to maintain coatings on plate.



Gencod : 3476060006998 795 g

**266055****PLASTERING TROWEL****280 x 120 mm flat stainless steel blade**


- Bi-material handle.
- Stainless steel blade.



Gencod : 3476060026606 454 g

**266155****PLASTERING TROWEL****280 x 120 mm curved stainless steel blade**

- Bi-material handle.
- Stainless steel blade.
- Curved blade for loading compound.



Gencod : 3476060026613 452 g

**266255****PLASTERING TROWEL****280 x 120 mm beveled stainless steel blade**

- Bi-material handle.
- Stainless steel blade.
- Beveled edges for surface finishing without any mark.



Gencod : 3476060026620 451 g





166955

**CLEAN SANDER****Pole sander adaptable on vacuum cleaner**

- Sanding without dust.
- Trowel support for mesh sanding sheets.
- Fits on most vacuum cleaners.
- To vacuum dust during sanding.
- Soft grip handle for user comfort.

Gencod : 3476060016690 983 g


161255

**EASY LOCK SANDER****For wall and ceiling surface sanding and finishing**

- No loading in paper.
- Quick and easy abrasive netting paper replacement.



Gencod : 3476060016126 385 g

**10 ABRASIVE NETTING PAPERS****280 x 93 mm**

- No loadings in paper.

**163555 - Grit 80**

Gencod : 3476060016355 170 g

**163655 - Grit 120**

Gencod : 3476060016362 170 g

**163755 - Grit 240**

Gencod : 3476060016379 170 g

161355

**EASY LOCK TELESCOPIC SANDER****For wall and ceiling surface sanding and finishing**

- Allows sanding on walls and ceilings up to 4m height without using scaffolding or step ladder.
- Adjustable to a telescopic handle ref. 169955 (not included)

Gencod : 3476060016133 285 g

163355

**ABRASIVE SPONGE****120 x 90 x 25 mm - Grit 60.**

- Special angles and corners.




Gencod : 3476060016331 40 g

070055

**MULTI COUP****Mitre shear for variable corners and angles**

- Fast, neat and effortless cut.
- Steel blade guard.
- Interchangeable utility blade.
- Perfect for cutting :
  - plastic sections,
  - rubber glazing joints,
  - decorative mouldings,
  - tiling edging trim,
  - PVC Tape

**199255****10 LARGE CUTTING UTILITY BLADES**

Gencod : 3476060007001 425 g

**075055****PLURI COUP EXTRA****PVC ducting and trunking cutting pliers**

- 65 mm one piece blade which can be sharpened.
- Cuts at 90°.
- Cuts up to 40 x 10 mm.



Gencod : 3476060007506 390 g

**072555****PLURI COUP FLEX' 105 MM****Extruded profiled sections cutting pliers 5 x 16 mm**

- 105 mm stainless steel blade.
- Specially for rubber, compact or cellular, vinyl or PVC windows seals and joints, safety corners, noising.
- Cuts plastic strip cableways.
- Gradual jaw for more accuracy during the cut.
- 40° opening with 12 mm cutting thickness max.
- Ergonomic and anti-slip plastic handles for an optimum comfort.

Gencod : 3476060007254 570 g

**170055****MULTI COUP BOX**

- Shears with 4 interchangeable plates.
- Straight plate of 65 mm (electrical flat cables, cords, rubber, cardboard, etc.).
- 45° angle plate (flat surfaces and quarter round of wood or composite, decorative molding, PVC profiles for tile finishing, rubber seals, etc.).
- Cutting plate to cut pipe of 16 mm and 20 mm (for IRL, ICTA, PVC pipes).
- Plate for corner beads 45 x 25 mm (45 x 25 mm for plastic profiles).
- Clean cut without deformation.
- No need to deburr : time saving.
- 65 mm stainless steel blade, interchangeable, can be sharpened.
- Carrying case included.

Gencod : 3476060017000 767 g





161155

**ADJUSTABLE STILTS MOONWALKER****Adjustable stilts**

- UNIQUE : articulated foot plates allow natural walk.
- Adjustable from 45 to 76 cm.
- Maximum support weight : 102 kg.
- Time saving for all workings in height.
- 2 support blocks for a better stability.
- Alu stilts = light and handy.
- New straps with metal buckle for a better stability.

**1****2****3**

Gencod : 3476060016II9 7730 g


**260055****TOOL POUCH**

- Made of smooth top-grain cowhide leather.
- Adjustable cotton web belt.
- 8 pockets.
- 2 tool holders.
- 1 measuring tape pocket.



**O65O55****MINI RODCUT M6** 6 mm (M6) threaded rod and 4 mm suspension wire cutter

- Clean cut = immediate bolting.
- No noise.
- No sparks.
- Application : suspended ceilings.
- Can be used to repair rod damage.
- No metal scrap (no metal filings).
- No sparks - No risk of fire - No special permit.
- 545 mm adjustable cutting guide can be positioned on the right or left.
- Up to 6.6 soft steel : 60 kg/mm<sup>2</sup>. Must not be used to cut stainless steel threaded rod.



**165O55**  
SPARE DIE FOR MINIRODCUT



Gencod : 3476060016508 125 g

SUSPENDED CEILING SOLUTIONS

DRYWALL TOOLS

45

Gencod : 3476060006509 4700 g




## 1 M DRYWALL TOOLS DISPLAY

DRYWALL TOOLS MARKETING

DRYWALL TOOLS

46



## 1 M TAPING TOOLS DISPLAY



SANDING  
TAPING







# MASONRY TOOLS



## HEAVY DUTY SCRAPERS



- Hardened steel with riveted standard socket.
- Especially designed for :
  - Cleaning construction sites, old roofing materials, chewing gum and floor coverings.
  - Easily removes : snow, black ice, site mud, gum.
  - Ideal for stuck down carpet, linoleum, underlay, removal of adhesive remnants.
- 36 mm interlocking conical shell for wooden handle.
- Resistance : 125 kg/mm<sup>2</sup>.
- Blade thickness : 1 mm.



**29O255**

1 ST CHOICE BEECH WOOD  
HANDLE - Ø 32 mm

- For all scrapers.



Gencod : 3476060029027 645 g



**O9O155 - 150 mm**

Gencod : 3476060009012 367 g



**O9O055 - 300 mm**

Gencod : 3476060009005 543 g



**O95O55 - 500 mm**

Gencod : 3476060009500 780 g

**096055**

**CONCRETE SPREADER**

Ultra resistant heavy-duty spreader



- Spreader for efficient concrete spreading with 500 mm wide blade.
- Lifting hook (Ø 10 mm) for wire net screed.
- New 29 mm rod for standard handle.



Gencod : 3476060009609 1230 g

**266355**

**FLOORING TROWEL WITH 455 MM STAINLESS STEEL BLADE**



- Special concrete smoothing.
- Bi-material handle.
- Stainless steel blade.

Gencod : 3476060026637 514 g



- Fixes by crimping, without any staples.
- Time saving.
- Allows quick and effortless assembly of veined lathing.
- Outside and inside applications :
  - Renovation.
  - Thermal insulation.
  - Fire-blocking.




Gencod : 3476060006486 395 g

## 125 MM CURVED DISC



**O92855 - Medium grit**

Gencod : 3476060009289 255 g



**O92755 - Fine grit**

Gencod : 3476060039064 248 g



- Tungsten carbide universal abrasive disc.
- Heavy duty. Lasts up to 160 times longer than traditional abrasives.
- For polishing, deburring, surface finishing.
- For all type of materials, such as : steel, wood, cement, concrete, plaster, PVC, mild stone and rust.



**390600**

COUNTER DISPLAY ABRADISC - 3  
pcs of fine grit disc + 6 pcs of  
medium grit disc



Gencod : 3476063906004 2610 g

**266955**

## REBAR GUILLOTINE

Max. bending 16 mm / max. cutting 18 mm



- Allows to cut rebar, max. diameter 18 mm.
- Double function : shears and plate bending bit.
- Diameter for cutting : 18 mm.
- Diameter for plate bending : 16 mm.





045555

**TORNADO PRO**

Professional automatic binder for looped metal bonds



- 3 laps per cycle.
- To close bags, fences, frameworks for reinforced concrete.
- Soft hand grip



Gencod : 3476060004550 380 g

042755

**TWISTER**

Automatic pocket binder for looped metal bonds



- 1.5 laps per cycle.
- To close bags, fences, frameworks, etc...
- Small enough to be carried in a pocket.



Gencod : 3476060004277 220 g

**LOOPE METAL BONDS****960452 - 1000 LOOPED METAL BONDS - GALVANIZED**

Galvanized steel looped bonds Ø 1 mm x 120 mm

Gencod : 3476060004529 ≈ 1200 g

**960457 - 1000 LOOPED METAL BONDS - ANNEALED**

Annealed steel looped bonds Ø 1,1 x 100 mm

Gencod : 3476060004574 ≈ 1200 g

**960449 - 1000 LOOPED METAL BONDS - ANNEALED**

Annealed steel looped bonds Ø 1,1 x 120 mm

Gencod : 3476060004499 ≈ 1500 g

**960453 - 5000 LOOPED METAL BONDS - ANNEALED**

Annealed steel looped bonds Ø 1,1 x 120 mm

Gencod : 3476060004536 ≈ 7050 g

**960458 - 1000 LOOPED METAL BONDS - ANNEALED**

Annealed steel looped bonds Ø 1,1 x 160 mm

Gencod : 3476060004581 ≈ 1700 g



- To use for different kinds of fastening.
- Use it with automatic binder for looped metal bonds.
- Applications : rebar, fencing, gravel bags.

**961480 - 1000 LOOPED METAL BONDS - ANNEALED**

Annealed steel looped bonds Ø 1,1 x 140 mm

Gencod : 3476060014801 ≈ 1600 g

**960459 - 5000 LOOPED METAL BONDS - ANNEALED**

Annealed steel looped bonds Ø 1,1 x 140 mm

Gencod : 3476060004598 ≈ 8050 g

**963453 - 1000 LOOPED METAL BONDS - ANNEALED**

Annealed steel looped bonds Ø 1,1 x 180 mm

Gencod : 3476060034533 ≈ 1800 g

**962449 - 1000 LOOPED METAL BONDS - ANNEALED**

Annealed steel looped bonds Ø 1,1 x 200 mm

Gencod : 3476060024497 ≈ 2000 g







# EXTERNAL WALL INSULATION TOOLS



- Hot wire cuttings for a neat cut without polystyrene beads projection.
- For expanded and extruded polystyrene (E.P.S and XPS).
- Max. depth : 330 mm.
- Max. width : 1370 mm.
- From 0° to 90° angle cuts.
- From 90° to 15° bevel cuts.
- Groove cuts until 300 mm depth.
- Temperature of the hot wire : 350°C
- Transformer : 40 V / 200 W / 230 V.
- EU certified.
- Accessories included :
  - Carrying case with wheels.
  - Accessory bracket scaffold
  - Folding feet.
  - 2 hot wires provided.




## POSSIBLE SHAPES OF CUTS


Rectangle




Cutting angle




Chamfered cut



Stepped cut




Grooving cut



**CARRYING CASE WITH WHEELS  
+ACCESSORY BRACKET SCAFFOLD  
+FOLDING FEET  
+2 HOT WIRES PROVIDED**





- Hot wire cuttings for a neat cut without polystyrene beads projection.
- For expanded and extruded polystyrene (E.P.S and XPS).
- Max. depth : 330 mm.
- Max. width : 1370 mm.
- Transformer : 40 V / 200 W / 230 V.
- EU certified.




## POSSIBLE SHAPES OF CUTS\*

Rectangle



Cutting angle



Chamfered cut



\* Possible cuts with a wooden template (not supplied).



**266855**

1370 MM SPARE HOT WIRE



Gencod : 3476060026682 10 g

Gencod : 3476060026668 8000 g

366755

## HOT KNIFE FOR CUTTING EPS FOAM



- To cut neatly EPS/XPS insulation foam and polyurethane foam without any dust.
- Blade length : 200 mm.
- The blade temperature reaches 500°C in few seconds.
- Power : 190 W
- EU certified.
- Supplied with a plastic case including metallic brush and fixing key.



466755

20 CM SPARE BLADE FOR HOT KNIFE



Gencod : 3476060046673 42 g




Gencod : 3476060036674 1284 g

164955

## 380 X 160 MM ABRASIVE SANDER, SPECIAL FOR EXTERNAL INSULATION



- Special for external insulation and cellular concrete.
- To avoid using abrasive paper.



Gencod : 3476060016492 750 g

172955

**PERFECT LISS****60 cm toothed blade**

- Special for external wall coating.
- To adjust coating thickness before sticking the mesh.
- Rigid, riveted and tempered stainless steel blade.
- Ergonomic, light and adjustable to a pole.



Gencod : 3476060017291 890 g

172455

**60 CM PERFECT LISS****Special for external wall coating and wall scraper**

- Special for external wall coating and wall scraper.
- To smooth coating after sticking the mesh.
- Rigid, riveted and tempered stainless steel blade.
- Ergonomic, light and adjustable to a pole.



Gencod : 3476060017246 610 g

172055

**60 CM PERFECT LISS**

- To smooth coating after sticking the mesh.
- Ideal for finishing.
- To smooth perfectly wide area.
- Compound saving.
- BI-FLEX technology blade : tempered and flexible.



Gencod : 3476060017208 771 g

065755

**OUTSIDE CORNER TROWEL**

- Application of the coating on both exterior sides of the wall in one single pass.
- Special for external wall insulation.
- Very strong.
- Ergonomic handle.







# ROOFING TOOLS



031055

**MAT****Pliers to cut and punch the slate, blade 35 mm**

«The Original»

310 mm



- 2 in 1 = cuts and punches slate.
- No breathable dust, no crumbling.
- Ergonomic and anti-slip plastic handles for an optimum comfort.
- Cuts and punches 7 mm thickness (0.275") natural and man made slate.




Gencod : 3476060003102 895 g

032455

**MAT 2****Pliers to cut and punch the slate, blade 55 mm**

320 mm



Gencod : 347606003249 910 g

032055

**MAT COUP****Pliers to cut the slate, blade 35 mm**


«The Original»



300 mm



- No dust, no crumbling.
- Ergonomic and anti-slip plastic handles for an optimum comfort.
- Cuts natural and man made slate of 7 mm thickness (0.275").



Gencod : 3476060003201 690 g

032555

**MAT COUP 2****Pliers to cut the slate, blade 55 mm**

320 mm



Gencod : 3476060003256 705 g



O31155

35 MM BLADE FOR MAT &amp; MAT COUP



O31255

PUNCH FOR MAT, MAT 2 &amp; MEGA MAT



O31555

REPAIR KIT FOR MAT &amp; MAT 2




O32655

55 MM BLADE FOR MAT 2 &amp; MAT COUP 2



**O33055****PRO MAT-COUP 210**

Natural / artificial slate cutter up to 7 mm (0.275") thickness



- Neat and effortless cut.
- Easy forward movement of the slate for progressive cutting action.
- Designed for easy mobility, with a fixing point for laths.



Gencod : 3476060003300 2350 g

**289955****MEGA STRATICUT 400**

Super professional slate guillotine

**PATENTED**

- Special for 400 mm natural stone «lauze» of 10 mm thickness.
- No breathable dust.
- Neat cut without any effort.



Gencod : 3476060028990 12 000 g

**O33555****MECA-MAT**

Punching press for slate with double adjustable perforing



- Up to 8 mm thickness
- Double punching in one action = time saving.
- Graduation : 5 to 12 cm x 2.
- 3.2 mm double punching.
- 4 anchor points.
- Replaceable die, drilling punch and guide.
- Slate C/C distance : from 150 mm to 320 mm max.
- Effective C/C distance : from 100 mm to 240 mm.
- Adjustable depth stop : from 23 mm to 200 mm.

**O33855**

CUTTING UNIT FOR MECAMAT



Gencod : 3476060003386 138 g

Gencod : 3476060003355 10510 g





## “FRENCH” SLATER’S HAMMERS

**O38155 – Right handed**

330 mm

Gencod : 3476060003812 720 g



- Hand forged.
- Leather handle.
- Nail puller.
- Polished finish.

**O38255 – Left handed**

330 mm

Gencod : 3476060003829 720 g



## “TRADITIONAL” SLATER’S HAMMERS

**O38355 – Right handed**

330 mm

Gencod : 3476060003836 710 g



- Hand forged.
- Leather handle.
- Large face.
- Nail puller.
- Polished finish.


**O38455 – Left handed**

330 mm

Gencod : 3476060003843 710 g

**O39655****"UNIVERSAL" SLATER'S HAMMER****Right handed**

- Hand forged.
- Left and right bevel.
- Leather handle.
- Nail puller.
- Polished finish.



**EDMA**  
...by  
**FREUND**®

**139655 - Left handed****"UNIVERSAL" SLATER'S HAMMER**

Gencod : 34760600013966 719 g

Gencod : 3476060003966 719 g

**O32155****400 MM SLATER'S ANVIL****Right handed**

- All edges polished.
- Straightened.
- Curved head.
- Straight.

**EDMA**  
...by  
**FREUND**®

**O32255 - Left handed****400 MM SLATER'S ANVIL**

Gencod : 3476060003225 760 g

**O32355 - Bent****BENT SLATER'S ANVIL**

Gencod : 3476060003232 565 g

Gencod : 3476060003218 760 g





037655

## WELDED SLATE RIPPER

400 mm




- Traditional slate ripper.
- Welded.
- Made in steel.

**EDMA**  
*...by* **FREUND**


Gencod : 3476060003768 700 g

**O37755 - 600 MM**  
600 MM WELDED SLATE RIPPER




Gencod : 3476060003775 850 g

037855

## STAINLESS STEEL SLATE RIPPER

400 mm




- Handle and nail puller drop-forged.
- Interchangeable stainless steel blade with rounded edges.
- Special handle suitable for all blade lengths.

**EDMA**  
*...by* **FREUND**


Gencod : 3476060003782 1010 g

**O37955 - 600 MM**  
BLADES FOR STAINLESS STEEL SLATE  
RIPPER - 600 mm



Gencod : 3476060003799 1120 g

137855

BLADES FOR STAINLESS STEEL  
SLATE RIPPER - 400 mm

Gencod : 3476060013781 215 g

137955

BLADES FOR STAINLESS STEEL  
SLATE RIPPER - 600 mm


Gencod : 3476060013798 330 g

**O18555****POLYPERFOR**


Steel sheet punching machine



- Cutting power : 740 kg !
- Includes a 4 punches set :
- Ø 3,3 mm.
- Ø 4,1 mm for steel suspension wires.
- Ø 4,9 mm and 6,2 mm for threaded rod.
- Precise graduation opening to max. 8 mm (0.315"). Adjustable depth stop up to 43 mm.
- Applications : roofing, suspended ceilings etc.

**O18455**4 PUNCHES SET : Ø 3,3 MM  
Ø 4,1 MM  
Ø 4,9 MM  
Ø 6,2 MM

Gencod : 3476060001849 135 g



Gencod : 3479060001856 1150 g

**133O55****NIBBLER HAND NOTCHER**


- Notch : 33 mm x 3 mm.
- Neat cut.
- Cuts up to 0,6 mm thickness.

**EDMA**  


Gencod : 3476060013309 570 g

**O34155****INTERPERFOR 3,5 X 15 MM**

Notch punching machine



- Ideal for vinyl coated cladding sheet, zinc or aluminium.
- Notching capacities :
  - 0,8 mm (20 ga ; 0.031") : zinc, sheet metal cladding.
  - 1 mm (18 ga ; 0.039") : plastic.
- Makes a notch of 3,5 x 15 mm to prevent buckling.
- Depth of 9 to 21 mm from the oblong axis.





031855

## PUNCHER

Hammer tacker



- Very well balanced.
- Comfortable bi-component handle.
- Recommended for fixing heavy sheets or insulation sheets on roof.
- Magazine capacity : 175 staples.



Gencod : 3476060003188 975 g

131955

1000 STAPLES FOR PUNCHER - 6 mm  
Galvanised staples.

Gencod : 3476060013194 63 g

O31955

5000 STAPLES FOR PUNCHER - 10 mm  
Galvanised staples.

Gencod : 3476060003195 635 g

231955

1000 STAPLES FOR PUNCHER - 14 mm  
Galvanised staples.

Gencod : 3476060023193 191 g

035855

## ROOFER'S HAMMER



- Steel tube handle.
- PVC grip.
- Magnetic nail holder.
- Polished finish.
- Certified GS Security German Norm.

**EDMA**  
*...by FREUND*


Gencod : 3476060003584 870 g

035955

## FORGED ROOFER'S HAMMER



- Roofer's hammer all steel forged.
- Leather handle.
- Magnetic nail holder.

**EDMA**  
*...by FREUND*


Gencod : 3476060003591 1005 g

132155

**LEAD DRESSER**

- Beech.
- Asymmetrical shape.



Gencod : 3476060013217 297 g

132755

**BENDING STICK**

- Beech.
- Round, bent shape.



Gencod : 3476060013279 305 g

132655

**BOSSING STICK**

- Beech.
- Slim, rounded shape.



Gencod : 3476060013262 257 g

132855

**SETTING STICK**

- Beech.
- Slim, straight shape.




Gencod : 3476060013286 190 g





033955

## TINMAN'S MALLET



- In PVC.
- Edged.
- Dimension : 85 x 40 x 150 mm.

**EDMA**  
...by **FREUND**

Gencod : 3476060003393 495 g

037255

## GROOVING HAMMER



- 1 round lightly bent face.
- Polish finish.

**EDMA**  
...by **FREUND**

Gencod : 3476060003720 345 g

135255

## GROOVING HAMMER DIFFERENT FACES



- Fine polished finish.
- Faces differently bent.
- One vertical face.
- One horizontal face.


**EDMA**  
...by **FREUND**

Gencod : 3476060013521 436 g

135355

## 32 MM DEAD BLOW SOFT FACED HAMMER



- Polished finish.
- Lacquered.
- Curved.
- Head of shock-resistant nylon.


**EDMA**  
...by **FREUND**

Gencod : 3476060013538 479 g

131755

## HAMMER FOR ANGLE FLAT SCRAPER

Special for flat scraper



- 4 mm thickness nib.
- 22 mm rounded edge.


**EDMA**  
...by **FREUND**

Gencod : 3476060013170 425 g

**O35155****SEAMING IRON****Forged steel seeming iron with flat blade**

- Forged steel seaming iron with flat blade.
- Chisel face.
- Block with hole 5 x 15 mm.

**EDMA**  
...by  
**FREUND**

280 mm

Gencod : 3476060003515 2625 g

**O35255****DOUBLE SEAMING IRON****Forged steel double seaming iron**

- Forged steel double seaming iron.
- Block height 25 & 35 mm.

**EDMA**  
...by  
**FREUND**

257 mm

Gencod : 3476060003522 3120 g

**O35455****FOLDING TOOL****«Squeezing folding plier»**

- Special forged steel.
- Depth 140 mm.

**EDMA**  
...by  
**FREUND**

140 mm

Gencod : 3476060003546 820 g

**131055****HAMMER FOR ANGLE FLAT SCRAPER**

- In drawn steel.
- Polished finish.

**EDMA**  
...by  
**FREUND**

290 mm



Gencod : 3476060013101 2130 g



# CLINCHING PLIERS



- Lap joint.
- Precoated handles.

**EDMA**  
...by  
**FREUND**

## STRAIGHT



**O39155 - 22 mm**

- Folding depth : 32 mm.

Gencod : 3476060003911 230 g



**O39255 - 40 mm**

- Folding depth: 48 mm.

Gencod : 3476060003928 610 g



**O39355 - 60 mm**

- Folding depth : 64 mm.

Gencod : 3476060003935 715 g



**O39455 - 80 mm**

- Folding depth : 64 mm.

Gencod : 3476060003942 1005 g



**O39555 - 100 mm**

- Folding depth : 58 mm.

Gencod : 3476060003959 985 g



## BENT OF 45°



**O34255 - 22 mm**

- Folding depth : 28 mm.

Gencod : 3476060003423 220 g



**O34355 - 40 mm**

- Folding depth : 48 mm.

Gencod : 3476060003430 660 g



**O34455 - 60 mm**

- Folding depth : 48 mm.

Gencod : 3476060003447 755 g



**O34555 - 80 mm**

- Folding depth : 48 mm.


Gencod : 3476060003454 990 g



**O34655 - 100 mm**

- Folding depth : 68 mm.

Gencod : 3476060003461 1165 g



## BENT OF 90°



**O34755 - 40 mm**

- Folding depth : 54 mm.

Gencod : 3476060003478 670 g



**O34855 - 60 mm**

- Folding depth : 58 mm.

Gencod : 3476060003485 770 g



**O34955 - 80 mm**

- Folding depth : 68 mm.

Gencod : 3476060003492 1100 g



135455

## TRIANGULAR CLINCHING PLIERS



- Straight.
- Lap joint.
- Precoated handles.
- Folding depth : 80 mm.

**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060013545 918 g

135555

## CORNER CLINCHING PLIERS



- Lap joint.
- Precoated handles.
- Folding depth : 66 mm.

**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060013552 809 g

135655

## ROUND NOSE PLIERS



- Precoated handles.

**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060013569 465 g

135755

## FLAT NOSE PLIERS



- Precoated handles.

**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060013576 420 g





## SEAMING PLIERS



- Lap joint.
- Raise large and deep measure.

**EDMA**  
...by **FREUND**

### STRAIGHT



**O30455 - 120 mm**

- Folding depth : 125 mm.

Gencod : 3476060003041 1940 g



**O30555 - 180 mm**

- Folding depth : 175 mm.

Gencod : 3476060003058 2510 g



**O30655 - 200 mm**

- Folding depth : 185 mm.

Gencod : 3476060003065 2590 g

### BENT OF 45°



**O30755 - 120 mm**

- Folding depth : 110 mm.

Gencod : 3476060003072 1910 g



**O30855 - 180 mm**

- Folding depth : 160 mm.

Gencod : 3476060003089 2730 g



**O30955 - 200 mm**

- Folding depth : 160 mm.

Gencod : 3476060003096 2865 g

135855

## SEAMING PLIERS WITH 45° ANGLE

Straight - 180 mm



- Lap joint.
- Skewed on one side.
- Folding depth : 175 mm.


**EDMA**  
...by **FREUND**



130455


## BENDER 4 ROLLS

**Tool to make folds, counterfolds, raised areas on sheets** +



- Machine to make edging and bending of sheet metal.
- For zinc, aluminium, soft metal, stainless steel.
- 4 guide rolls = special long sheets.
- Possibility of separating two folders to get two folders x2 (ref. 130355).
- Height from 5 mm up to 200 mm.
- Folding capacities :
  - Stainless steel : 0,5 mm.
  - Steel/sheet metal : 0,7 mm.
  - Copper : 0,8 mm.
  - Zinc/aluminium : 1 mm.

**EDMA**  
...by **FREUND**®



Gencod : 3476060013040 3775 g

130855

## BENDER 8 ROLLS

**Tool to make folds, counterfolds, raised areas on sheets** +



- Machine to make edging and bending of sheet metal.
- For zinc, aluminium, soft metal, stainless steel.
- 8 guide rolls = special long sheets.
- Possibility of separating two folders to get two folders 4X4 (ref. 130155).
- Height from 5 mm up to 200 mm.
- Folding capacities :
  - Stainless steel : 0,5 mm.
  - Steel/sheet metal : 0,7 mm.
  - Copper : 0,8 mm.
  - Zinc/aluminium : 1 mm.

**EDMA**  
...by **FREUND**®



Gencod : 3476060013088 4280 g





130155

## 200 MM BENDER 4X4

**Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius**



- Machine to make edging and bending of sheet metal.
- Faster than clinching pliers.
- With aluminium handle.
- 4 wheels.
- Folding capacities :
  - Stainless steel : 0,5 mm.
  - Steel/sheet metal : 0,7 mm.
  - Copper : 0,8 mm.
  - Zinc/aluminium : 1 mm.
- Folding depth : 200 mm


**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060013019 2100 g

130955

## 350 MM BENDER 4X4

**Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius**

**EDMA**  
*...by*  
**FREUND**


- 
- Machine to make edging and bending of sheet metal.
  - Faster than clinching pliers.
  - With aluminium handle.
  - 4 wheels.
  - Folding capacities :
    - Stainless steel : 0,5 mm.
    - Steel/sheet metal : 0,7 mm.
    - Copper : 0,8 mm.
    - Zinc/aluminium : 1 mm.
  - Folding depth : 350 mm

Gencod : 3476060013095 2640 g

130355

## BENDER X2

**Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius**

**EDMA**  
*...by*  
**FREUND**


- 
- Machine to make edging and bending of sheet metal.
  - Faster than clinching pliers.
  - 2 wheels.
  - Folding capacities :
    - Stainless steel : 0,5 mm.
    - Steel/sheet metal : 0,7 mm.
    - Copper : 0,8 mm.
    - Zinc/aluminium : 1 mm.
  - Folding depth : 200 mm



130755

**25 MM EDGE ROLLER****Tool to make bends of 90° to 180° maximum**

- For curved raised areas and construction of small radii (inside and outside).
- Graduated in cm and inches.
- Handle with leverage effect.
- Height of raised areas continuously adjustable from 5 to 25 mm.
- Folding capacities :
  - Stainless steel : 0,5 mm.
  - Steel/sheet metal : 0,7 mm.
  - Copper : 0,8 mm.
  - Zinc/aluminium : 1 mm.

**EDMA**  
...by  
**FREUND**


Gencod : 3476060013071 1010 g

130255

**DISK ROLLER****Tool to make bends of 90° to 180° maximum**

- 8 mm to 40 mm high.
- Maximum thickness 1 mm.
- Tool ready to work : no adjustment necessary.
- Folding capacities :
  - Stainless steel : 0,5 mm.
  - Steel/sheet metal : 0,7 mm.
  - Copper : 0,8 mm.
  - Zinc/aluminium : 1 mm.

**EDMA**  
...by  
**FREUND**


Gencod : 3476060013026 1080 g

130655

**DOUBLE DISK ROLLER****Tool to make bends of 90° to 180° maximum**

- 8 mm to 40 mm high.
- Special long sheets.
- Maximum thickness 1 mm.
- Tool ready to work : no adjustment necessary.
- Folding capacities :
  - Stainless steel : 0,5 mm.
  - Steel/sheet metal : 0,7 mm.
  - Copper : 0,8 mm.
  - Zinc/aluminium : 1 mm.

**EDMA**  
...by  
**FREUND**



Gencod : 3476060013064 2837 g



038655

**SQUARE SEAM FOLDER**

- Operated square seam folder joins SPM 30/80 profiles.
- Tool width : 220 mm.
- Claw height : 50 mm.


**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060003867 1930 g

038755

**TWIN SQUARE SEAM FOLDER**

- Allows simple and quick shaping of locked square seam into double-seam in just one operation.
- Tool width : 220 mm.
- Claw height : 50 mm.


**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060003874 2330 g

132555

**SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER**

205 mm



- Tool joining prefabricated SPM profiles.
- Used to tack up lengthwise beads to prevent withdrawal from folding press.
- Can make small radius lockseam without difficulty.
- Tool width : 65 mm.
- Claw height : 55 mm.

**EDMA**  
*...by*  
**FREUND**

135955

**EAVES EDGER 105 TK**

- Allows quick and accurate sheet metal shaping constructing eaves, gutters, dormer windows etc...
- Toolwidth : 10"
- Clawdepth : 1 1/2"
- Length : 9 1/2"
- Durable baked epoxy finish.

**EDMA**  
...by  
**FREUND**


Gencod : 3476060013590 1700 g

132355

**EAVES CLOSING JAWS**

- Fastening without hammering.
- Tool width : 220 mm.
- Claw height : 50 mm.


**EDMA**  
...by  
**FREUND**


Gencod : 3476060013231 2100 g

132255

**TILE EDGER**

- To build any slope for tile edges.
- Tool width : 70 mm.
- Claw height : 40 mm.
- Supplied with a 200 cm measuring tape.

**EDMA**  
...by  
**FREUND**


Gencod : 3476060013224 845 g

131155

**SEAM OPENING PLIERS**

- Seam opening pliers.
- Forged steel head.
- Head length 30 mm.
- PVC coated handles.

**EDMA**  
...by  
**FREUND**


Gencod : 3476060013118 490 g




010655

75 MM FLYER'SL

Forged aviation snip long blades 75 mm



- Special for zinc and lead jobs.
- Cutting capacity :
- 0.8 mm (20 ga ; 0.031") : stainless steel 1.2 mm (16 ga ; 0.047") : soft metal.
- Chromium molybdenum steel serrate blades.
- Powerful and long lasting handle spring.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



Gencod : 3476060001061 520 g



010955

APOLLO

Forged aviation snip right cut



- Compound action shape snips.
- Cutting capacities :
  - 0.9 mm (19 ga ; 0.035") : stainless steel.
  - 1 mm (18 ga ; 0.039") : blue sheet steel.
  - 1.2 mm (16 ga ; 0.047") : galvanised sheet, zinc.
  - 1.5 mm (15 ga ; 0.059") : copper, brass, sheet metal.
  - 2 mm (12 ga ; 0.078") : PVC, aluminium.
  - 2.5 mm (10 ga ; 0.098") : polycarbonate.
- Cuts up to 35 mm at once.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



Gencod : 3476060001092 525 g

109055

LEFT CUT



Gencod : 34760600010902 525 g



010255

UPPER-CUT

Shears «PASSE-FRANC» - Right cut



- Compound action shape snips with offset blades.
- Cutting capacities :
  - 0.9 mm (19 ga ; 0.035") : stainless steel.
  - 1 mm (18 ga ; 0.039") : blue sheet steel.
  - 1.2 mm (16 ga ; 0.047") : galvanised sheet, zinc.
  - 1.5 mm (15 ga ; 0.059") : copper, brass, sheet metal.
  - 2 mm (12 ga ; 0.078") : PVC, aluminium.
  - 2.5 mm (10 ga ; 0.098") : polycarbonate.
- Cuts up to 35 mm at once.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



102055

LEFT CUT



Gencod : 34760600010209 567 g



Gencod : 3476060001023 567 g

012755

**90° UPPER-CUT**

Shears with 90° blades - Right cut



- Special for difficult access.
- Cutting capacities :
  - 0.9 mm (19 ga ; 0.035") : stainless steel.
  - 1.2 mm (16 ga ; 0.047") : galvanised sheet, zinc.
  - 1.5 mm (15 ga ; 0.059") : copper, brass, sheet metal.
  - 2 mm (12 ga ; 0.078") : PVC, aluminium.
  - 2.5 mm (10 ga ; 0.098") : polycarbonate.
- Cuts up to 35 mm at once.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



Gencod : 3476060001276 500 g

127O55

LEFT CUT



O12855

**45° FLYER'SL**

Shears with 75 mm angled blades - Right cut



- Shears with angled blades of 45°.
- Cuts up to 75 mm in one single action.
- Cutting capacities :
  - 0.9 mm (19 ga ; 0.035") : stainless steel.
  - 1.2 mm (16 ga ; 0.047") : galvanised sheet, zinc.
  - 1.5 mm (15 ga ; 0.059") : copper, brass, sheet metal.
  - 2 mm (12 ga ; 0.078") : PVC, aluminium.
  - 2.5 mm (10 ga ; 0.098") : polycarbonate.
- Cuts up to 35 mm at once.
- Finger guard.
- One hand automatic latch release.
- New SUPERPRO SERIE grip.



Gencod : 3476060001283 458 g

128O55

LEFT CUT





## 012055 250 MM UNIVERSAL FORGED SHEARS Wide and narrow blade shears



- Cutting capacities :
  - 1.0 mm (18 ga ; 0.039") : stainless steel.
  - 1.2 mm (16 ga ; 0.047") : galvanised sheet, zinc.
- Multidirectional.
- Induction hardened cutting edges.
- 57-59 HRC long life blades.
- Spring included.
- Isolating handles.



Gencod : 3476060001207 565 g

## 012155 250 MM FORGED SHEARS BERLIN

«Lyonnaise» type shears



- Cutting capacities :
  - 1.0 mm (18 ga ; 0.039") : stainless steel.
  - 1.2 mm (16 ga ; 0.047") : galvanised sheet, zinc.
- Multidirectional.
- Induction hardened cutting edges.
- 56-58 HRC long life blades.
- Spring included.
- Isolating handles.



Gencod : 3476060001214 500 g

## 012655 300 MM FORGED SHEARS PELICAN



- Cutting capacities :
  - 1.2 mm (16 ga ; 0.047") : stainless steel.
  - 1.8 mm (13 ga ; 0.070") : galvanised sheet, zinc.
- Specially designed for long straight cut.
- Induction hardened cutting edges.
- 57-59 HRC long life blades.
- Spring included.
- Isolating handles.



Gencod : 3476060001269 790 g

## O12255 250 MM FIGURE HOLE FORGED SHEARS «Coupe-trou» forged shears - Right cut



- Cutting capacities :
  - 1.0 mm (18 ga ; 0.039") : stainless steel.
  - 1.5 mm (15 ga ; 0.059") : galvanised sheet, zinc.
- Induction hardened cutting edges.
- 57-59 HRC long life blades.
- Spring included.
- Isolating handles.



Gencod : 3476060001221 510 g

## O12355

LEFT CUT



Gencod : 3476060001238 510 g



## O12455 260 MM OFFSET FORGED SHEARS

Forged shears passe-franc - Right cut



- Cutting capacities :
  - 1.0 mm (18 ga ; 0.039") : stainless steel.
  - 1.5 mm (15 ga ; 0.059") : galvanised sheet, zinc.
- Induction hardened cutting edges.
- 57-59 HRC Long life blades.
- Spring included.
- Isolating handles.



Gencod : 3476060001245 590 g

## O12555

LEFT CUT



Gencod : 3476060001252 590 g






011255

## SUPERCOUP INOX

Nibbler shears special stainless steel with built-in waste curl cutter



- Especially for stainless steel.
- Ergonomic and anti-slip plastic handles for an optimum comfort.



Gencod : 3476060001122 525 g

011055

## SUPERCOUP NR1

Nibbler shears with built-in waste curl cutter



- Nibbler shears with built-in waste curl cutter for sheet metal.



Gencod : 3476060001108 525 g


010155

## NIBBLER SHEARS NR1

Nibbler shears



- For flat sheet.
- Perfect for cutting stud and track.



Gencod : 3476060001016 510 g

011355

## SUPERCOUP NR3

Nibbler shears special corrugated iron with built-in waste curl cutter



- Quick and easy cut.
- Neat cut.
- Cutting capacities :
  - 0.9 mm (20 ga ; 0.031") : stainless steel.
  - 1.5 mm (15 ga ; 0.059") : galvanised steel, copper.
  - 2 mm (12 ga ; 0.078") : aluminium.
- For all 14.4 V and 2 amps drill.
- Single handed operation.
- Can be used inverted.


 101055  
BLADE FOR SUPERCOUP & NIBBLER SHEARS NR1

 105055  
BLADE FOR SUPERCOUP INOX

 103055  
BLADE FOR SUPERCOUP NR3


Gencod : 3476060001139 540 g

Gencod : 3476060010100 23 g

Gencod : 3476060010506 22 g

Gencod : 3476060010308 24 g

038955

**TURBOSHEAR**

Drill attachment for larger cordless or corded drill



- Quick and easy cut.
- Neat cut.
- Cutting capacities :
  - 0.9 mm (20 ga ; 0.031") : stainless steel.
  - 1.5 mm (15 ga ; 0.059") : galvanised steel, copper.
  - 2 mm (12 ga ; 0.078") : aluminium.
- For all 14.4 V and 2 amps drill.
- Single handed operation.
- Can be used inverted.



Gencod : 3476060003898 1290 g



Gencod : 3476060013897 195 g



017255

**NIBBLEX UNIVERSAL**

Power drill attachment nibbler shears



- Fast and neat cut.
- Cutting capacity :
  - 0.8 mm (20 ga ; 0.031") : stainless steel.
  - 1.5 mm (15 ga ; 0.059") : galvanised steel, zinc, sheet metal, copper, brass.
  - 2 mm (12 ga ; 0.078") : PVC, vinyl flooring, aluminium
  - 2.5 mm (10 ga ; 0.098") : polycarbonate.
- Power drill attachment for flat or corrugated metal and PVC surfaces.
- Speed 3000 rpm minimum.
- Multi-direction dies



017455

PUNCH + DIE SET FOR NIBBLEX



Gencod : 3476060001740 80 g



Gencod : 3476060001726 255 g





033355

## WOODYCUT XL

Wood batten guillotine



- For cutting wooden batten.
- Safety casing.
- No noise and no breathable dust.
- 445 mm long handle for a fast and easy cut.
- Excellent cutting results up to 42 mm (height) and 130 mm (length) in every angle possible from 45 to 90°.



071555

INTERCHANGEABLE 130 MM STAINLESS STEEL BLADE FOR WOODYCUT



Gencod : 3476060007155 127 g



070355

130 MM PLATE FOR WOODYCUT



Gencod : 3476060007032 164 g

Gencod : 3476060003331 6350 g

033255

## LIT'UP

Batten remover



- For roofing renovation.
- Heavy-duty.
- Resistance to effort : 1 ton.




Gencod : 3476060003324 1620 g

087555

## DÉCHAUSS' TOUT

Professional telescopic wooden batten remover



- Telescopic arm (min. 550 mm / max. 940 mm).
- Heavy-duty.
- Bears up to 1 ton pressure.



550 mm


Gencod : 3476060008756 2670 g





- Head made of malleable casting GTW 40.
- Steel tubes with plastic handles.
- For a bracket strength up to 40 x 8 mm.

**EDMA**  
...by **FREUND**®



Gencod : 3476060013187 3850 g


036055

## INTERCLIPS ZINC

Clinching pliers for zinc or enamel-plated aluminium gutters



- Quick and strong fixing.
- Clinching capacities :
- - 0,8 mm (20 ga ; 0.031") : zinc, aluminium.
- - 0,75 mm (21 ga ; 0.029") : sheet metal.
- 6 x 3 plunged boss.
- For zinc or enamel-plated aluminium gutters, edge strip.
- Depth of 5 to 20 mm.



Gencod : 3476060003607 525 g

035655

## TILE NIBBLER



- Special design for roof tiles.
- 220 mm induction hardened.
- Precoated handles.

**EDMA**  
...by **FREUND**®



Gencod : 3476060003560 487 g

131455

## ROOF TILE LINE



- To trim tile.
- File area : 200 mm x 30 mm.
- 2 sides : fine grit & thick grit.

**EDMA**  
...by **FREUND**®



Gencod : 3476060013149 200 g



O33155

## ZINC AND LAMINATE SCRIBER



- Carbide tipped.
- Extremely resistant tip.
- For folding, cutting and marking of zinc and laminate sheets.

**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060003317 140 g

O36855

## TRIANGLE BEARING SCRAPER



- 3 faces sharp blade.
- Ergonomic wooden handle.

**EDMA**  
*...by*  
**FREUND**

Gencod : 3476060003683 165 g

O36455

## SOLDERING SET



- Special zinc.
- Prior to welding in the salt of ammonia, cleaning brush and plastic container.
- Non-slip on roof.

**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060003645 205 g

136455

## CUTTER GETTER





Gencod : 3476060013644 72 g

Gencod : 3476060023643 107 g



- Special gutter half round or square profile.
- Multi-usage : sampling spoon, shovel, fertilizer sower.
- For easy cleaning of gutters.

**EDMA**  
*...by*  
**FREUND**


Gencod : 3476060013002 110 g

139955

## GUTTER CLEANING KIT

Easy and quick



- Gutter cleaning kit including a grabber for fallen leaves and a steel extension handle.
- Avoid to move the ladder during the cleaning of the gutters.


**EDMA**  
*...by*  
**FREUND**

Gencod : 3476060013996 470 g



036155

## SCRIBER TOOL



- Stainless steel scriber tool.
- Measuring (5 mm) from 5-100 mm.

**EDMA**  
...by **FREUND**


Gencod : 3476060003614 65 g

032955

## 250 MM COMPASS




- High quality compass according to DIN 6486.
- Ground and polished finish points.

**EDMA**  
...by **FREUND**


Gencod : 3476060003294 270 g

133355

## DECLIMETER




- To measure frame angle.
- 1° precision.

**EDMA**  
...by **FREUND**

Gencod : 3476060013330 45 g

131255

## BEVEL




- 300 mm wooden handle.
- Adjustable angle measurement.

**EDMA**  
...by **FREUND**

Gencod : 3476060013125 186 g

131355

## BRACKET



- Aluminium ruler.

**EDMA**  
...by **FREUND**

Gencod : 3476060013132 490 g



130555

## NAIL POUCH



- Made of smooth top-grain cowhide leather.
- Adjustable leather/nylon belt.
- 2 large pockets and 1 tool holder.

Gencod : 3476060013057 629 g

260055

## TOOL POUCH



- Made of smooth top-grain cowhide leather.
- Adjustable cotton web belt.
- 8 pockets.
- 2 tool holders.
- 1 measuring tape pocket.

Gencod : 3476060026002 420 g

060955

## 50 M MAX LINE Chalk line reel with broad handle



- For long distance marking.
- Built-in filter system restricting excess chalk.
- Cord diameter : 2,5 mm.
- Capacity : 300 g.

Gencod : 3476060006097 600 g

064255

## 30 M ROOF LINE Special chalk line reel for roofers



364255

COUNTER DISPLAY FOR ROOF LINE



x 6



- Chalk line reel with two handles.
- Avoids too much movement around the roof.
- Ideal for roofers.
- Cord diameter : 2 mm.
- Capacity : 2 x 100 g.
- Built-in filter system restricting excess chalk.

Gencod : 3476060006424 250 g

063855

200 G RED MARKING CHALK



Gencod : 3476060006387 230 g

064955

400 G RED MARKING CHALK



Gencod : 3476060006493 425 g

064355

1000 G RED MARKING CHALK



Gencod : 3476060006431 1035 g

065155

3500 G RED MARKING CHALK



Gencod : 3476060006516 4250 g

132955

## 12 CARPENTER PENCILS



- For marking on dry wood.
- x 12 pieces.



Gencod : 3476060013293 220 g



## PRESSURE ROLLER WITH BALLBEARINGS

134255

28 mm



- 2 enclosed smooth-running ball bearings.
- Silicone roller.
- Bolted axis.
- Ergonomical wooden handle for maximum pressure.
- Bracket one-sided.
- For overlap welding.
- Ø 33 mm.



Gencod : 3476060013422 158 g

**EDMA**  
...by **FREUND**

134355

45 mm



- 2 enclosed smooth-running ball bearings.
- Silicone roller.
- Bolted axis.
- Ergonomical wooden handle for maximum pressure.
- Bracket one-sided.
- For overlap welding.
- Ø 33 mm.



Gencod : 3476060013439 195 g

**EDMA**  
...by **FREUND**

134455

45 mm

45° CHAMFERED



- 2 enclosed smooth-running ball bearings.
- Silicone roller.
- Bolted axis.
- Ergonomical wooden handle for maximum pressure.
- For overlap welding near the edges.
- Bracket one-sided.
- Ø 33 mm.



Gencod : 3476060013446 194 g

**EDMA**  
...by **FREUND**

134555

## BRASS PRESSURE ROLLER WITH BALL BEARING

6 mm



- Enclosed smooth-running ball bearing.
- Extra thin, convex brass roller.
- Ergonomical wooden handle for maximum pressure.
- Ø 28 mm.

**EDMA**  
*...by*  
**FREUND**<sup>®</sup>


Gencod : 3476060013453 129 g

134655

## PRESSURE ROLLER WITH PLAIN BEARING

90 mm



- Plain bearing.
- Silicone roller.
- Riveted axis.
- Ergonomical wooden handle for maximum pressure.
- Bracketed on both sides.
- For overlap welding.
- Ø 33 mm.

**EDMA**  
*...by*  
**FREUND**<sup>®</sup>


Gencod : 3476060013460 364 g

134755

## STEEL PRESSURE ROLLER WITH BALL BEARINGS

40 mm



- 2 enclosed smooth-running ball bearings.
- Steel roller.
- Heavy duty design.
- Ergonomical wooden handle for maximum pressure.
- For cold pressure welding.
- Ø 40 mm.

**EDMA**  
*...by*  
**FREUND**<sup>®</sup>


Gencod : 3476060013477 445 g

134855

## STEEL PRESSURE ROLLER WITH BALL BEARINGS

60 mm



- 2 enclosed smooth-running ball bearings.
- Steel roller.
- Heavy duty design.
- Ergonomical wooden handle for maximum pressure.
- For cold pressure welding.
- Ø 40 mm.

**EDMA**  
*...by*  
**FREUND**<sup>®</sup>


Gencod : 3476060013484 596 g





134955

## WELD SEAM TESTER

**NEW**

- Ergonomical wooden handle.
- 90° angled.
- Optimised tip.

**EDMA**  
*...by* **FREUND**®


Gencod : 3476060013491 108 g

135055

## SCISSORS FOR ROOF AND SEALING SHEETS

**NEW**

- Industrial & professional scissors.
- For roof and sealing sheets.
- Polished blades.
- Varnished black.
- Heavy duty version.
- 250 mm.

**EDMA**  
*...by* **FREUND**®


Gencod : 3476060013507 404 g

135155

## 500 ML PLASTIC BOTTLE

With angled brush

**NEW**

- LDPE transparent.
- Screw cap.
- Angled brush attachment.
- 500 ml.

**EDMA**  
*...by* **FREUND**®




- Quick adjustment system.
- Ideal to carry easily terrace slabs (concrete or wood).
- Adjustable up to 625 mm width max. and 380 mm mini.



Gencod : 3476060026903 1600 g



- Steel square.



Gencod : 3476060017314 970 g



035055

**MAXI-RET 5 BLADES**

Compound action swaging tool 5 blades




«The Original»



250 mm



- Pipe crimping tool for all types of metallic pipes.
- Special for stainless steel pipes up to 0.8 mm.
- Progressive reduction of the pipe diameter.
- Swaging up to 52 mm.

**PATENTED**

Gencod : 3476060003508 760 g

030155

**ERGO RET 3 BLADES**


3 blades cranked head swaging tool



265 mm



- Optimal use thanks to its cranked head.
- For square pipes.
- For easier work in confined areas.
- Swaging up to 40 mm, single slot in one action.



Gencod : 3476060003010 460 g

030255

**ERGO RET 5 BLADES**


5 blades cranked head swaging tool



265 mm



- Optimal use thanks to its cranked head.
- For square pipes.
- For easier work in confined areas.
- Swaging up to 40 mm, double slot in one action.



Gencod : 3476060003027 550 g



030355

## RET 3 BLADES

3 blades swaging tool



- For square pipes.
- Swaging tool for round or square pipes.
- Ergonomic handles.
- Swaging up to 30 mm, single slot in one action.



Gencod : 3476060003034 450 g

030055

## RET 5 BLADES

5 blades swaging tool



- Swaging tool for round pipes.
- Ergonomic handles.
- Swaging up to 30 mm, double slot in one action.



Gencod : 3476060003003 520 g


050155

## PIPE POSITIONER N1

Small variable angle vice



- For 8 to 30 mm diameter tubes.
- For welding all pipes, sections and wrought iron.
- Span of the arms variable up to 60 mm.



Gencod : 3476060005014 215 g


050255

## PIPE POSITIONER N2

Large variable angle vice



- For 20 to 60 mm diameter tubes.
- For welding all pipes, sections and wrought iron.
- Span of the arms variable up to 100 mm.



Gencod : 3476060005021 775 g



089955


## VARIOCUT

Professional guillotine for cutting fiber cement siding



- Neat cut without any effort.
- No sharpening required ever.
- No breathable dust.
- No noise.
- Up to straight cuts and up to 0-90° angle cuts are possible.
- Up to 320 mm straight cutting and up to 210 mm for angular cutting.
- Removable board stopper for 210 mm cut.
- Cuts up to 12 mm (0.590") thickness.
- Also includes :
  - 1 mini trestle.
  - 1 waste collector.

Gencod : 3476060008992 1138 g



037055

## ALPHACUT

Guillotine for cutting fiber cement siding



«The Original»



- Neat cut without any effort.
- No sharpening required ever on blade.
- No breathable dust.
- No noise.
- Cutting capacity : 11 mm (0.433") thickness and up to 210 mm width.
- Accessories :
  - 1 trestle.

Gencod : 3476060003706 5940 g

038555

## CROCOCUT

Hand nibbler shears for fiber cement siding



- For fiber cement siding up to 8 mm thick.
- Neat cut without distortion.
- Fine, precise and curved cuts are possible.
- Blade anti-slip profile.



138555  
REPLACEABLE BLADE FOR CROCOCUT




Gencod : 3476060013859 24 g

Gencod : 3476060003850 730 g



- For fitting overlap cladding (fiber cement, fiber wood or wood) by 1 person alone.
- Holding of blades in position before nailing with overlap of 30 mm.
- For all cladding from 6 mm to 16 mm thick.
- Adjustable for different widths of clinkers from 160 mm to 255 mm.
- Examples of fiber-cement width :
  - 180 mm kind of Hardie Plank.
  - 190 mm kind of Cedral.
  - 210 mm kind of Duracolor or Hardie Linea.
  - 225 mm kind of Ced'R-Tex.





038855

## MINI RODCUT M8

Ø 4, 6, 8 mm rod cutting guillotine



- Clean cut = immediate bolting.
- No noise.
- No sparks.
- Cutting guide included.



138855

REPLACEABLE DIE M4, M6, M8 FOR  
MINIRODCUT M8

Gencod : 34760600013880 133 g



Gencod : 3476060003881 4730 g

073155

## TRIOCOUP'

Cutting tool for PVC, IRL, ICTA and PER tubes, Ø 16, 20 and 25 mm.



- Effortless and clean cut without distortion or warping.
- Stainless steel blade.
- Auto-locking barrel, 3 rotary prestressing cutting slots.
- Simple rotating the barrel allows the cutting diameter to be changed.



PATENTED



073255

STAINLESS STEEL BLADE FOR  
TRIOCOUP'

Gencod : 3476060007322 40 g




Gencod : 3476060007315 510 g



PATENTED



- Clean cut = immediate bolting.
- No noise.
- No sparks.
- Applications : industry, building industry.
- Can be used to repair rod damage.
- No waste (no metal filings).
- 650 mm adjustable cutting guide can be positioned on the right or left.
- No sparks - No risk of fire - No special permit.
- M7 rod (7 mm diam.) 150 threaded rods, to be cut on 10 mm diam. slot : especially for heating, ventilation, air-conditioning & sanitary engineers.
- Up to 6.6 soft steel : 60 kg/mm<sup>2</sup>.
- Must not be used to cut stainless steel threaded rod.
- 650 mm ruler included.




165955

REPLACEABLE DIE FOR RODCUT





## 1 M SLATE ROOFING TOOLS DISPLAY






## 1 M SEAMING TOOLS DISPLAY



  SEAMING TOOLS  
  SEALING TOOLS







# FLOORING TOOLS

089755

**LAMINOCUT 2**

Laminate, MDF, vinyl flooring cutting guillotine

«The Original»



- Neat cut without damaging the melamine surface.
- No breathable dust.
- No noise.
- No sharpening required ever on blade.
- 3 possible cutting widths :
  - Straight cut.
  - Angle cut from 0° to 90°.
  - Cuts in length.
- Cuts up to 12 mm (0.472") thickness.
- Protective felt pads.



**389755**  
POS DISPLAY LAMINOCUT



Gencod : 3476063897555 63700 g



Gencod : 3476060008978 3460 g

089055

**STRATICUT 230**

Professional laminate flooring guillotine

«The Original»



- Neat cut without any effort.
- No sharpening required ever on blade.
- No breathable dust.
- No noise.
- Removable stopper to make angle cuts, cuts in length and wider than 230 mm planks.
- Maximum width with stopper : 230 mm (overall).
- Cutting capacity : 12 mm (0.472") thickness and up to class 33 wooden floors for very heavy traffic in commercial area (according to European regulation EN 685).
- Accessories :
  - 1 trestle.
  - 1 dust collector.



**389055**  
POS DISPLAY STRATICUT



Gencod : 3476063890556 61000 g



Gencod : 3476060008909 8030 g

**PATENTED**

- Neat cut without any effort.
- No sharpening required ever on blade.
- No breathable dust.
- No noise.
- Removable stopper to make angle cuts, cuts in length and wider than 400 mm planks.
- Maximum width with stopper (overall) : 230 mm, 320 mm and 400 mm.
- Cutting capacity : 15 mm (0.590") thickness and up to class 33 wooden floors for very heavy traffic in commercial area (according to European regulation EN 685).
- Accessories :
  - 1 trestle.
  - 1 dust collector.



• Cuts in angle



• Cuts in length



• Cuts in wide



• Removable stopper

087055

**SET TAK-TIK****A complete set for installing laminate flooring**

- A must for laying laminate and MDF floorings.

- The set includes :

- 1 pulling bar (metal frame) : used to move the boards lengthwise to remove gaps when adjusting flooring boards.
- 1 wood knocking block (wooden frame) : a protection block when fitting and adjusting tongue-and-groove wood flooring boards.
- 20 spacer blocks : they keep the flooring square with the wall to allow the parquet flooring to have a good position.




Gencod : 3476060008701 435 g

**087355****SET OF 40 SPACER BLOCKS**  
For laminate and wood flooring installation

Gencod : 3476060008732 120 g

**087155****MINI TAK-TIK****Basic pulling bar for laminate flooring installation (click-together design)**

- Used to move the boards lengthwise to remove gaps when adjusting flooring boards.



Gencod : 3476060008718 550 g

**087255****SUPER TAK-TIK** Professional pulling bar for laminate flooring installation (click-together design)

- Heavy-duty.
- Nylon hammer block for all metal hammers or mallets.
- With crowbar system.
- Wide head for greater pulling surface.
- Soft-touch material covers the base of the pulling bar to protect the laminate flooring.
- Replaceable nylon block.

**262855****NYLON TIP**

Gencod : 3476060026286 50 g



Gencod : 3476060008725 2030 g

**O88255****DUPLIC FORM**

250 mm contour gauge




- Used for matching contours to be cut.
- For plumbing pipes as well as mouldings and so on.
- The tracing must be done on the back side of the plank.
- Width : 250 mm.
- Depth : 45 mm.



Gencod : 3476060008824 475 g

**O88055****KIK BACK**

Set of 2 floor panelling power presses



- Regular pressure : 250 kg.
- Ensures optimal alignment and installation of wooden flooring.
- Holds the planks tightly together while the glue dries.
- Also allows the laying of last board.
- Ratchet : 54 steps of 1.5 mm.
- Max. opening : 67 mm, protective pads included.



Gencod : 3476060008800 1340 g

**O88355****ADJUSTABLE SPACER FOR LAMINATE FLOORING**

- Set of 4 adjustable spacers.
- Allow to make an accurate joint between the wall and the flooring.
- Adjustable from 5 to 20 mm according to wall flatness.
- Simply turn the red button to adjust the spacer.
- To avoid damaging the wall and the flooring.
- Made in PA plastic, very light and strong.



Gencod : 3476060008831 222 g

085055

**CAMELEON 130**

Mitre guillotine with an interchangeable 130 mm stainless steel blade



- Neat cut, no dust : wooden skirting boards, parquet flooring boards, panelling, battens, door frame mouldings, etc.
- Excellent cutting quality up to 28 mm (height) and 130 mm (length) with a range of angles from 45 to 90°.
- Long handle for a fast and easy cut.
- Ideal for cutting european woods (oak, beech...), american woods (cherry, southern yellow pine...), northern pine, PVC panelling, MDF panelling.



Gencod : 3476060008503 3480 g

071055

**MULTI-COUP' EXTRA**

Mitre shears with variable angle cuts

245 mm



- Neat and effortless cut !
- Opening allows easy cutting of :
- Decorative moulding, wood skirting boards, rubber seals, PVC sections.



071155

65 MM BLADE FOR MULTI-COUP' EXTRA



Gencod : 3476060007117 30 g



Gencod : 3476060007100 390 g

097055

**TECHNOCLEAN 40**

Hand scraper



- 2 replaceable hardened double steel blades, that can be turned around; up to 4 times more scraping capacity with only one set of blades.
- Handle with ergonomic and non-slip design.
- Ideal for the removal of glue down carpet, linoleum, wallpaper, adhesive remnants, swaging of tubes made from different materials.

097155

TECHNOCLEAN 60

097255

TECHNOCLEAN 80

TECHNOCLEAN 80

TECHNOCLEAN 80

TECHNOCLEAN 80



Gencod : 3476060009715 170 g



Gencod : 3476060009708 130 g



SPARE BLADES ON P.137

086655

**RENOV'JOINT**

Wood strip flooring joint claw



- Cleans wood strip joints before varnishing. (blade thickness : 1,5 mm)
- With opener.



Gencod : 3476060008664 78 g

**O87755****200 MM HEAVY DUTY FLOORING SCRAPER**

Ideal for the removal of carpet, or paint, etc...



- With welded tube of steel.
- Special for refurbishment covering of floors and sealings.
- Perfect to remove carpets, vinyl, linoleum, residues of glue, etc.
- Length of blade : 200 mm.

Gencod : 3476060008770 2365 g

**O86455****REVOCUT**

Threshold strip guillotine




- Neat cut without any effort !
- Specially 1/2 curved.
- Stainless steel : 50 mm x 1 mm.
- Brass : 50 mm x 1.2 mm.
- Aluminium : 50 mm x 1.7 mm.



Gencod : 3476060008640 3630 g

**O79055****JUMBO CUT**

Guillotine for cutting PVC gutters max. 65 x 65 mm



- Neat cut without risk of break nor explosion of the material.
- Effortless cut thanks to its ratchet system.
- No noise, no dust.
- Replaceable blade.
- Plastic box included.

**O79155**STAINLESS STEEL BLADE FOR JUMBO CUT  
Stainless steel.

Gencod : 3476060007919 160 g



Gencod : 3476060007902 3380 g

161055

**PRESS PLAC PRO** vertical support for PE-HD board

- Minimum working required space for cutting, drilling or planing.
- Holding height : 32 cm.
- Lock screw for perfect holding.
- With carriage handle.



Gencod : 3476060016102 9350 g

064555

**TRANSPLAC**

## Heavy duty board lifter



- Allows boards and sheets to be carried by just one person.
- New wide base for better panel seating.




Gencod : 3476060006455 1240 g

064055

**DUOPLAC**

## 2 board carrier handles



- 15 mm steel handles for board transport by 2 persons.
- Carries up to 2 boards.
- Soft rubber grips.
- Innovative, rugged design.
- Can be attached to belt.



Gencod : 3476060006400 1260 g

066055

**FOOTPLAC**

## Board lever with steel stirrup



- Allows board to be lifted for accurate positioning thanks to its rocker system.
- Wide base prevents board damage while improving panel seating.
- Also ideal for unhinging doors.
- New extra wide loop suitable for all safety footwear.



Gencod : 3476060006608 925 g







# WOODEN DECKING TOOLS



086555

**PRESS DECK**

Decking lath straightener



- Decking straightener for all types of wood (even IPE, amongst the most dense wood in the world).
- For decking planks between 90 and 180 mm.
- Wall use possible.
- Over 200 kg strength.
- Straighten up to the last plank along wall.
- New spring for more clamping force.
- New rubber pad to avoid damaging the decking.



Gencod : 3476060008657 2550 g


088255

**DUPLOC FORM**

250 mm contour gauge



- Used for matching contours to be cut.
- For plumbing pipes as well as mouldings and so on.
- The tracing must be done on the back side of the plank.
- Width : 250 mm.
- Depth : 45 mm.





## CAP SPACERS

3 MM



**NEW**



• With handle for easy removal.



**O85455**

10 PCS OF 3 MM GAP SPACERS

Gencod : 3476060008541 120 g

5 MM



**O85555**

10 PCS OF 5 MM GAP SPACERS

Gencod : 3476060008558 140 g

7 MM



**O85655**

10 PCS OF 7 MM GAP SPACERS

Gencod : 3476060008565 160 g

**O85755**

24 GAP SPACERS BUCKET - 3, 5, 7 mm

Gencod : 3476060008572 420 g



- 8 spacers of each thickness : 3, 5 and 7 mm.
- With handle for easy removal.

**O85355**

## PROTECTIVE STRIP FOR WOODEN JOISTS



70 mm x 16 m



**NEW**



- Protection against surface water.
- Sound insulation.
- Flexible waterproofing membrane made of a polyester reinforcement coated with elastomer bitumen.
- Durability : + 30 years
- Fastening by staples or nail
- Thickness : 2,4 mm.



Gencod : 3476060008534 3330 g

**O31855**

## PUNCHER

Hammer tacker




- Very well balanced.
- Very comfortable bi-component handle.
- Recommended for fixing protective strip for wooden joists.
- Magazine capacity : 175 staples.



**O31955**

5000 STAPLES FOR PUNCHER - 10 mm  
Galvanised staples.



Gencod : 3476060003195 635 g

Gencod : 3476060003188 975 g



189055

## 30 PCS GREEN WEDGES SET

80 x 30 x 10 mm




- Made from high quality PE (polyethylene) high resistance.
- Special for expansion joints in flooring installation.

Gencod : 3476060018908 206 g

189155

## 30 PCS ORANGE WEDGES SET

80 x 40 x 8 mm



- Made from high quality PE (polyethylene) high resistance.
- Special for vertical leveling.
- The split design enable the wedge to be cracked open and positioned over a screw without falling to the ground.

Gencod : 3476060018915 206 g

189255

## 16 PCS BROWN WEDGES SET

90 x 45 x 15 mm



- Made from high quality PE (polyethylene) high resistance.
- To use with yellow or black wedges for wooden decking.

Gencod : 3476060018922 213 g

189355

## 6 PCS YELLOW WEDGES SET

150 x 45 x 25 mm



- Made from high quality PE (polyethylene) high resistance.
- Special for wooden decking.

Gencod : 3476060018939 202 g

188455

**245 PCS WEDGES PROBOX****60 orange, 70 green, 75 brown, 40 yellow****NEW**

- Wedges used in floorings, wooden decks
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 245 wedges :
- 60 Orange : 80 X 40 X 8 mm - Max load 200 kg.
- 70 Green : 80 X 30 X 10 mm - Max load 200 kg.
- 75 Brown : 90 X 45 X 15 mm - Max load 1 700 kg.
- 40 Yellow : 150 X 45 X 25 mm - Max load 2 200 kg.

Gencod : 3476060018847 3855 g

188555

**BOX OF 100 BROWN WEDGES****90 x 45 x 15 mm****NEW**

- Made from high quality PE (polyethylene) high resistance.
- Special for wooden decking.




Gencod : 3476060018854 1448 g

187555

**BOX OF 312 BLACK WEDGES****150 x 45 x 25 mm****NEW**


- Made from high quality PE (polyethylene) high resistance.
- Special for wooden decking.



Gencod : 3476060018755 10930 g



## ADJUSTABLE COMBI PAD FOR DECKING



- Special leveling for wooden decking frame.
- Adjustable spacer from 32 to 250 mm.
- Including 4 pieces :
  - Sole
  - Extension
  - Base
  - Wedge size L or size M.

**189555 - Size M**

BOX OF 300 PCS OF SIZE M WEDGE




**NEW**

Gencod : 3476060018953 8450 g

**189855 - Size L**

BOX OF 300 PCS OF SIZE L WEDGE



**NEW**

Gencod : 3476060018984 14160 g

**189755**

BOX OF 150 PCS OF BASE



**NEW**

Gencod : 3476060018977 8280 g

**189655**

BOX OF 150 PCS OF EXTENSION



**NEW**

- Up to 5 pcs maxi per combi pad.

**189455**

BOX OF 150 PCS OF SOLE

**NEW**



- To use only on topsoil.

Gencod : 3476060018946 9490 g



Gencod : 3476060018960 9380 g



188055

**520 PCS FLAT SHIMS PROBOX****10 x 52 wedges**

- Flat shims used in tiles floors, parquet, panellings, wooden decks, stone decks, masonry works.
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 10 X 52 flat shims :
  - Blue : 1 mm.
  - Black : 2 mm.
  - Red : 3 mm.
  - White : 4 mm.
  - Yellow : 5 mm.

Dimensions : 50 x 22 mm and 100 x 22 mm.

Gencod : 3476060018809 2831 g

188155

**50 PCS FLAT SHIMS SET****10 x 5 wedges**

- Flat shims used in tiles floors, parquet, panellings, wooden decks, stone decks, masonry works.
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 10 X 5 flat shims :
  - Blue : 1 mm.
  - Black : 2 mm.
  - Red : 3 mm.
  - White : 4 mm.
  - Yellow : 5 mm.

Dimensions : 100 x 22 mm.

Gencod : 3476060018816 300 g

188255

**500 PCS HANGER SHIMS PROBOX****5 x 100 wedges**

- Hanger shims used in claddings, floorings, panellings, wooden decks.
- Fast and efficient level set up.
- Made from high quality PE (polyethylene).
- Set of 5 X 100 hanger shims :
  - Blue : 1 mm.
  - Black : 2 mm.
  - Red : 3 mm.
  - White : 4 mm.
  - Yellow : 5 mm.

Dimensions : 45 x 55 mm.

Gencod : 3476060018823 1994 g

188355

**50 PCS HANGER SHIMS SET****5 x 10 wedges**

- Hanger shims used in claddings, floorings, panellings, wooden decks.
- Fast and efficient level set up.
- Made from high quality PE (polyethylene) high resistance.
- Set of 5 X 10 hanger shims :
  - Blue : 1 mm.
  - Black : 2 mm.
  - Red : 3 mm.
  - White : 4 mm.
  - Yellow : 5 mm.

Dimensions : 45 x 55 mm.

Gencod : 3476060018830 150 g

188755

**220 K-BLOCK WEDGES PROBOX****For heavy weight**

- 220 K-Block wedges for heavy weight.
- Made from high quality PE (polyethylene) high resistance.
  - 70 pcs : 2 mm.
  - 70 pcs : 5 mm.
  - 60 pcs : 10 mm.
  - 20 pcs : 20 mm.

Dimensions : 48 x 78 mm.

Gencod : 3476060018878 4028 g







# WIRE NET FENCING TOOLS



041255



## BABY GRAFER 16/20



## Hand hog ring pliers



- With built-in wire cutter up to 3 mm thickness.
- Stop guide for a stronger hold on the hog ring.
- Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22.



Gencod : 3476060004123 236 g

040655






## BABY GRAFER 30



## Hand hog ring pliers



- Stop guide for a stronger hold on the hog ring.
- Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22, 30.



Gencod : 3476060004062 242 g

042855



## MASTER GRAFER



## Hog ring pliers for round posts



- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Jaw is specially designed to perfectly fix the welded mesh to the metal post in the form of a ring.
- Compatible with CL 29 rings.



Gencod : 3476060004284 610 g


043855

## UNI-CLIP BECA

## Hog ring pliers for «BECA» type round posts



- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Facilitates the use of CL 35 rings Ø 3.5 mm on round posts («BECA» type).
- Compatible with CL 35 rings.




Gencod : 3476060004383 590 g



040155

**TOP GRAFER 16****Hand hog ring pliers with magazine**

- Light and handy tool.
- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with OMEGA 16.




Gencod : 3476060004017 380 g

040355

**TOP GRAFER 18****Hand hog ring pliers with magazine**

- Light and handy tool.
- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with OMEGA 18.




Gencod : 3476060004031 405 g

041155

**TOP GRAFER 20/22****Hand hog ring pliers with magazine**

- Light and handy tool.
- 2 built-in wire cutter up to 3 mm thickness.
- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with DELTA 22 and OMEGA 20.




Gencod : 3476060004116 420 g

040555

**TOP GRAFER 30****Hand hog ring pliers with magazine**

- Light and handy tool.
- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with DELTA 30.



Gencod : 3476060004055 440 g



041855

## PACK PRO WIRE NET FENCING



• Content :

- 1 hog ring pliers TOP GRAFER 20/22 (ref. 041155).
- 1000 OMEGA 20 green PVC coated hog rings (ref. 043001).
- 1 cutting nippers 220 mm (ref. 040455).
- For fast and easy installation of chain link fences.



Gencod : 3476060004185 1627 g

040055

## JUNIOR

Hand hog ring pliers with magazine



049055

HANDLE SPRING FOR JUNIOR




Gencod : 3476060004901 7 g



• Perpendicular fastening.

- Professional tool for wire mesh and rope netting.
- Maximum fastening Ø : 2.1 + 2.2 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 16.



Gencod : 3476060004000 580 g

041055

## MAJOR

Professional hand hog ring pliers with magazine



149155

HANDLE SPRING FOR MAJOR




Gencod : 3476060014917 8 g



• Perpendicular fastening.

- Professional tool for wire mesh and rope netting.
- Maximum fastening Ø : 3.9 + 3.6 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 20.






Gencod : 3476060004109 1040 g



- Fits all types of drills.
- Screwdrivers (from 10.8 Volts).
- For stapling chain-link fencing.
- High speed execution = time saving.
- For OMEGA 20 and DELTA 22 staples.
- 50 staple magazine.
- Magazine positioning for left and right-handed person.
- Made in France.


PATENTED





048455

## FENCING TENSION CLAWS X 2



- Set of 2 universal chain link fencing tensioners for T-section or round posts.
- Makes for a perfect installation by one person.
- Holds the netting in position while stapling it.



Gencod : 3476060004840 460 g

040755

## DRESS FIL

## Wire tensioner for netting and welded nets



- Wire tensioner for netting and welded nets.
- Guarantee of perfect tensioning : rigid.
- Perfect tensioning of wire netting.
- Creates uniform fencing.



Gencod : 3476060004079 280 g

045555

## TORNADO PRO

## Professional automatic binder for looped metal bonds



- 3 laps per cycle.
- To close bags, fences, frameworks for reinforced concrete.
- Soft hand grip



Gencod : 3476060004550 405 g

960452

## 1000 LOOPED METAL BONDS - GALVANIZED

## Galvanized steel looped bonds Ø 1 mm x 120 mm



- To use for different kinds of fastening.
- Use it with automatic binder for looped metal bonds.
- Applications : rebar, fencing, gravel bags.

Gencod : 3476060004529 1200 g

**07455****PLURICOUP' ERGO**

Multi purpose pliers with angled blades




- Light and easy to handle.
- 42 mm stainless steel polished serrated blades.
- Unbreakable ergonomic arms and easy-to-close catch.
- Applications : interior decoration, waterproof, insulation, painting, horticulture, textile industry, marine, maintenance, construction yards, industry.
- Angled blades for an optimum comfort.



Gencod : 3476060007452 167 g

**O42455****PIC 7**

Multi-purpose farming tool



- Various applications : hammer, wire tensioner, staple remover, wire cutter (x2), splicer.



Gencod : 3476060004246 662 g

**O40455****220 MM CUTTING NIPPERS**

- Cutting nippers forged carbon steel = very rugged.
- 50-54 HRC jaws.
- Arm 35-40 HRC.
- Heavy-duty body.
- Cutting capacity diam. 3 mm.



Gencod : 3476060004048 355 g

**O44855****250 MM CUTTING NIPPERS**

- Cutting nippers forged carbon steel = very rugged.
- 50-54 HRC jaws.
- Arm 35-40 HRC.
- Heavy-duty body.
- Cutting capacity diam. 3 mm.



Gencod : 3476060004482 420 g





- Special For Gabion jobsites.
- 5-7 bar working pressure.
- Magazine capacity : 120 CL 50 (45 x 24 x 3 mm) rings.
- Fastening speed : 40 rings per minute.
- Applications : erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc.
- Comes in heavy duty, ergonomic High Density PE case.
- New model : ultra-rugged machine for an intensive use.
- Magazine protector included.
- Air consumption is  $7,7 \text{ kg/cm}^2$  (7,59 bar) for an average of 50 shots per minute.



**249826**  
LOWER JAW FOR TURBO 50 PREMIUM



**249818**  
UPPER JAW FOR TURBO 50 PREMIUM





- Special manual plier for Gabion jobsites.
- Quick to use.
- Easy loading of ring.
- Magazine capacity : 50 CL 50 (45 x 24 x 3 mm) rings.
- Locking security.
- Applications : erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc.



Gencod : 3476060004642 5440 g

## GABION STAPLES

**150000**

CL 50 STAPLES - Aluzinc high tensile - 1600 pcs



- Ø of wire 3 mm.
- Resistance 1750 - 1900 N/mm<sup>2</sup>.
- Quantity / box 1600 rings.
- Treatment 95% zinc + 5 % alu.

Gencod : 3476060015006 6940 g

**180000**

CL 50 STAPLES - Aluzinc low tensile - 1600 pcs



- Wire Ø 3 mm.
- Resistance 690 - 840 N/mm<sup>2</sup>.
- Quantity / box 1600 rings.
- Treatment 95% zinc + 5 % alu.

Gencod : 3476060018007 6950 g

**160000**

CL 50 STAPLES - AISI 304 stainless steel - 1600 pcs



- Ø of wire 3 mm.
- Resistance 1370 - 1570 N/mm<sup>2</sup>.
- Quantity / box 1600 rings.
- Treatment INOX AISI 304.

Gencod : 3476060016003 8200 g

**140001**

CL 40 STAPLES - Aluzinc - 1000 pcs



- To use with UNICLIP stapler (ref. 043855).
- Special gabion cages for decoration.

Gencod : 3476060014009 5000 g



047655

**CONCERTINA RAZOR BARBED TAPE PLIER WITH MAGAZINE**

- Manual plier with magazine for Concertina Razor Barbed Tape.
- Secure to use because of the long handles.
- Quick fastening action.
- Magazine capacity : 35 clips.
- It is possible to load the magazine horizontally or vertically.
- For Concertina clip ref 046201 (Galva) or ref 046301 (stainless steel).
- Applications : protection of sensitive areas (industrial estates and facilities, material park, airports, military areas).

Gencod : 3476060004765 1416 g

047755

**CONCERTINA RAZOR BARBED TAPE PLIER**

- One handed compound action.
- For Concertina rings galvanised/1000 pcs & stainless steel/1000 pcs.



Gencod : 3476060004772 285 g

**CLIPS FOR CONCERTINA**

O46601

1000 GALVANISED CLIPS - Bulk



- Galvanised treatment.

Gencod : 3476060004666 3200 g

O46701

1000 STAINLESS STEEL CLIPS - Bulk



- AISI 304 stainless steel treatment.

Gencod : 3476060004673 3600 g

O46201

2100 GALVANISED CLIPS



- Galvanised treatment.

Gencod : 3476060004628 7000 g

O46301

2100 STAINLESS STEEL CLIPS



- AISI 304 stainless steel treatment.

Gencod : 3476060004635 7240 g

**O49855****TURBO 24**

Pneumatic gun for CL 24 rings



- Fast execution.
- 5-8 bar working pressure.
- Air consumption : 6 litres per time.
- Magazine capacity : 100 rings.
- Compatible with CL 24 rings.
- Applications :
  - Swimming pool formwork
  - Industrial fastening



Gencod : 3476060004987 1483 g

## **120000 CL 24 RINGS - Stainless steel - 10 000 pcs**



- AISI 304 stainless steel treatment.

Gencod : 3476060012005 8180 g

## **190000 CL 24 STAPLES - Galva - 10 000 pcs**




- Galvanised treatment.

Gencod : 34760600019004 8000 g




## OMEGA 16 STAPLES




<b>O41601</b>	Galva A - 2500 pcs	24	Gencod : 3476060004161  733 g
<b>O44001</b>	Galva green PVC coated - 2500 pcs	24	Gencod : 3476060004406  466 g
<b>O41901</b>	Galva A - 1250 pcs	30	Gencod : 3476060004192  369 g
<b>O44201</b>	Galva green PVC coated - 1250 pcs	30	Gencod : 3476060004420  284 g
<b>O44300</b>	AISI 316 stainless steel - 1250 pcs	30	Gencod : 3476060004437  384 g
<b>O41501</b>	Galva A - 250 pcs	25	Gencod : 3476060004154  87 g
<b>O44501</b>	Galva green PVC coated - 250 pcs	25	Gencod : 3476060004451  66 g

## OMEGA 18 STAPLES




<b>900470</b>	Galva A - 1200 pcs	20	Gencod : 3476060004703  804 g
<b>900480</b>	Galva green PVC coated - 3000 pcs	8	Gencod : 3476060004802  1860 g

## OMEGA 20 STAPLES




<b>O42001</b>	Galva A - 1000 pcs	20	Gencod : 3476060004208  852 g
<b>O42301</b>	AISI 316 stainless steel - 1000 pcs	20	Gencod : 3476060004239  908 g
<b>O43001</b>	Galva green PVC coated - 1000 pcs	20	Gencod : 3476060004307  745 g
<b>O42101</b>	Aluminium - 1000 pcs	20	Gencod : 3476060004215  313 g
<b>O47201</b>	Galva black PVC coated - 1000 pcs	20	Gencod : 3476060004727  725 g
<b>O42501</b>	Galva A - 200 pcs	15	Gencod : 3476060004253  190 g
<b>O43501</b>	Galva green PVC coated - 200 pcs	15	Gencod : 3476060004352  166 g
<b>O42900</b>	Galva white PVC coated - 200 pcs	15	Gencod : 3476060004291  167 g

## DELTA 18 STAPLES



<b>900466</b>	Cooper - 3360 pcs	8	Gencod : 3476060004666  15230 g
---------------	-------------------	---	---------------------------------

## DELTA 22 STAPLES




<b>900460</b>	Galva A - 1000 pcs	20	Gencod : 3476060004604  927 g
<b>900461</b>	AISI 316 stainless steel - 1000 pcs	20	Gencod : 3476060004611  997 g
<b>900463</b>	Galva green PVC coated - 1000 pcs	20	Gencod : 3476060004636  760 g

= Unit per master carton



## DELTA 30 STAPLES



046500 Galva A - 2500 pcs



6

Gencod : 3476060004659 2971 g


047101 Galva A - 500 pcs



1

Gencod : 3476060004710 583 g

## CL 24 RINGS


120000 Stainless steel - 10 000 pcs  
AISI 304 stainless steel treatment.

Gencod : 3476060012005 8180 g

190000 Galva - 10 000 pcs  
Galvanised treatment.

Gencod : 3476060019004 8000 g

## CL 29 STAPLES



046801 AISI 304 stainless steel - 100 pcs



30

Gencod : 3476060004680 254 g

046901 Galva A - 100 pcs



30

Gencod : 3476060004697 253 g

146800 AISI 304 stainless steel - 500 pcs



12

Gencod : 3476060014689 958 g

047300 AISI 304 stainless steel - 1000 pcs



8

Gencod : 3476060004734 2587 g


047400 Galva A - 1000 pcs



6

Gencod : 3476060004741 2529 g

## CL 35 STAPLES



043700 AISI 304 stainless steel - 500 pcs



12

Gencod : 3476060004376 1574 g


## CL 40 STAPLES



140001

Aluzinc - 1000 pcs  
To use with UNICLIP stapler ref. 043855,  
special for decoration gabion cages.

Gencod : 3476060014009 5000 g

150000 Aluzinc high tensile - 1600 pcs  
Ø of wire 3 mm.  
Resistance 1750 - 1900 N/mm<sup>2</sup>.  
Quantity / box 1600 rings.  
Treatment 95% zinc + 5 % alu.

Gencod : 3476060015006 6940 g

160000 AISI 304 stainless steel - 1600 pcs  
Ø of wire 3 mm.  
Resistance 1370 - 1570 N/mm<sup>2</sup>.  
Quantity / box 1600 rings.

Gencod : 3476060016003 8200 g

180000 Aluzinc low tensile - 1600 pcs  
Wire Ø 3 mm.  
Resistance 690 - 840 N/mm<sup>2</sup>.  
Quantity / box 1600 rings.  
Treatment 95% zinc + 5 % alu.

Gencod : 3476060018007 6950 g



## SPARE PARTS

N°	REF	DESIGNATION	BAR CODE	PAGE
1	017455	PUNCH + DIE SET FOR NIBBLEX	3476060001740	85
2	018455	4 PUNCHES SET : Ø 3,3 mm / Ø 4,1 mm / Ø 4,9 mm / Ø 6,2 mm	3476060001849	67
3	031155	35 MM BLADE FOR MAT & MAT COUP	3476060003119	62
4	031255	PUNCH FOR MAT, MAT 2 & MECAMAT	3476060003126	62
5	031355	CUTTING UNIT FOR MAT & MAT COUP	3476060003133	136
6	031555	REPAIR KIT FOR MAT & MAT 2	3476060003157	62
7	031755	SPRING FOR MAT COUP & MAT COUP 2	3476060003171	136
8	032655	55 MM BLADE FOR MAT 2 & MAT COUP 2	3476060003263	62
9	032755	CUTTING UNIT FOR MAT 2 & MAT COUP 2	3476060003270	136
10	033855	CUTTING UNIT FOR MECAMAT	3476060003386	63
11	039055	PUNCH + DIE FOR INTERPERFOR	3476060003904	136
12	049055	HANDLE SPRING FOR JUNIOR	3476060004901	126
13	149155	HANDLE SPRING FOR MAJOR	3476060014917	126
14	049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	3476060004925	136
15	149455	HOG RING HOLDER FOR JUNIOR	3476060014948	136
16	149555	HOG RING HOLDER FOR TOP GRAFER I6	3476060014955	136
17	149655	HOG RING HOLDER FOR TOP GRAFER I8	3476060014962	136
18	149755	HOG RING HOLDER FOR TOP GRAFER 30	3476060014979	136
19	149955	HOG RING HOLDER FOR MAJOR	3476060014993	136
20	061855	PUNCHING BLADE FOR POWER PROFIL & ERGOTOP	3476060006189	13, 11
21	062155	PUNCHING BLADE FOR MASTER PROFIL	3476060006219	12
22	062255	5 SPRINGS FOR MASTER PROFIL	3476060006226	12
23	068155	4 BLADES SET 40, 60, 80, 100 MM FOR CANALCUT	3476060006813	28
24	069555	SPARE BLADES - TWIN 35 X 35 MM FOR CANALCUT	3476060006950	28
25	070255	PLATE FOR MULTICOUP MULTICOUP & MULTICOUP EXTRA	3476060007025	136
26	070355	I30 MM PLATE FOR WOODYCUT	3476060007032	86
27	071155	65 MM BLADE FOR MULTI-COUP' EXTRA	3476060007117	110
28	071455	105 MM STAINLESS STEEL BLADE FOR PLURICOUPE FLEX 105	3476060007148	136
29	071555	INTERCHANGEABLE I30 MM STAINLESS STEEL BLADE FOR WOODYCUT	3476060007155	86
30	073255	STAINLESS STEEL BLADE FOR TRIOCOUP	3476060007322	100



N°	REF	DESIGNATION	BAR CODE	PAGE
31	079155	STAINLESS STEEL BLADE FOR JUMBO CUT	3476060007919	111
32	089255	WASTE COLLECTOR FOR STRATICUT	3476060008923	136
33	101055	BLADE FOR SUPERCOUP & NIBBLER SHEARS NRI	3476060010100	84
34	101455	5 SPRINGS SET FOR TIN SNIPS	3476060010148	136
35	101755	5 SPRINGS SET FOR AVIATION SNIPS	3476060010179	136
36	101555	5 SPRINGS FOR NIBBLER SHEARS	3476060010155	84
37	103055	BLADE FOR SUPERCOUP NR3	3476060010308	84
38	105055	BLADE FOR SUPERCOUP INOX	3476060010506	84
39	111055	CUTTING UNIT FOR SUPERCOUP NRI & SUPERCOUP INOX	3476060011107	137
40	112055	AXIS & BOLT FOR BLADE NIBBLER SHEARS	3476060011206	137
41	138555	REPLACEABLE BLADE FOR CROCOCUT	3476060013859	98
42	160555	SPARE ROPE FOR CHALKLINE REELS	3476060016058	137
43	162855	SET OF 2 JAWS FOR CORNER FIX	3476060016287	23
44	162955	SET OF 2 SPARE WHEELS FOR PLAC&ROLL	3476060016294	21, 22
45	164755	FLAT RASP FOR VARIORAP	3476060016478	20
46	264755	ROUNDED RASP FOR VARIORAP	3476060026477	20
47	165055	SPARE DIE FOR MINIRODCUT	3476060016508	45
48	165955	REPLACEABLE DIE FOR RODCUT	3476060016591	101
49	197055	2 x 40 MM BLADES FOR TECHNOCLEAN 40	3476060019707	137
50	197155	2 x 60 MM BLADES FOR TECHNOCLEAN 60	3476060019714	137
51	197255	2 x 80 MM BLADES FOR TECHNOCLEAN 80	3476060019721	137
52	199255	10 LARGE CUTTING UTILITY BLADES	3476060019929	20, 23, 43
53	199655	10 HOOK KNIFE BLADES	3476060019967	137
54	262855	NYLON TIP	3476060026286	23, 108
55	160755	10 SNAP-OFF BLADES, 25 MM	3476060016072	19
56	249818	UPPER JAW FOR TURBO 50 PREMIUM	3476062498180	130
57	249826	LOWER JAW FOR TURBO 50 PREMIUM	3476062498265	130
58	138855	REPLACEABLE DIE M4, M6, M8 FOR MINIRODCUT M8	3476060013880	100
59	166755	FLAT RASP FOR EASYRAP	3476060016676	20
60	260455	REPLACEABLE PUNCHING BLADE FOR DUO PROFIL	3476060026040	14



ITEM CODE	DESIGNATION	PAGE	ITEM CODE	DESIGNATION	PAGE
O10155	NIBBLER SHEARS NRI TP - Nibbler shears	84	031855	PUNCHER - Hammer tacker	68 - II7
O10255	UPPER-CUT - Shears "PASSE-FRANC" - Right cut	80	031955	5000 STAPLES FOR PUNCHER - 10 mm	68 - II7
O10655	75 MM FLYER' SL - Forged aviation snip long blades 75 mm	80	032055	MAT COUP - Pliers to cut the slate, blade 35 mm	62
O10755	FLYER' S - Forged aviation snip	10	032155	400 MM SLATER'S ANVIL - Right handed	65
O10955	APOLO - Forged aviation snip right cut	10 - 80	032255	400 MM SLATER'S ANVIL - Left handed	65
O11055	SUPERCOUP NRI - Nibbler shears with built-in waste curl cutter	84	032355	BENT SLATER'S ANVIL	65
O11255	SUPERCOUP INOX ST - Nibbler shears special stainless steel with built-in waste curl cutter	84	032455	MAT 2 - Pliers to cut and punch the slate, blade 55 mm	62
O11355	SUPERCOUP NR3 TO - Nibbler shears special corrugated iron with built-in waste curl cutter	84	032555	MAT COUP 2 - Pliers to cut the slate, blade 55 mm	62
O12055	250 MM UNIVERSAL FORGED SHEARS - Wide and narrow blade shears	82	032655	55 MM BLADE FOR MAT 2 & MAT COUP 2	62 - I36
O12155	250 MM FORGED SHEARS BERLIN - "Lyonnaise" type shears	82	032755	CUTTING UNIT FOR MAT 2 & MAT COUP 2	I36
O12255	250 MM FIGURE HOLE FORGED SHEARS - "Coupe-trou" forged shears - Right cut	83	032855	BATTEN GAUGE - Gauge for wooden batten positionning	87
O12355	250 MM FIGURE HOLE FORGED SHEARS - "Coupe-trou" forged shears - Left cut	83	032955	250 MM COMPASS	90
O12455	260 MM OFFSET FORGED SHEARS - Forged shears passe-franc - Right cut	83	033055	PRO MAT-COUP 210 - Natural / artificial slate cutter up to 7 mm (0.275") thickness	63
O12555	260 MM OFFSET FORGED SHEARS - Forged shears passe-franc - Left cut	83	033155	ZINC AND LAMINATE SCRIBER	89
O12655	300 MM FORGED SHEARS PELICAN - Forged shears Pelican	82	033255	LIT'UP - Batten remover	86
O12755	90° UPPER-CUT - Shears with 90 ° blades - Right cut	81	033355	WOODYCUT XL - Wood batten guillotine	86
O12855	45° FLYER' SL - Shears with 75 mm angled blades - Right cut	81	033555	MECA-MAT - Punching press for slate with double adjustable perforing	63
O17255	NIBBLEX UNIVERSAL - Power drill attachment nibbler shears	85	033855	CUTTING UNIT FOR MECAMAT	63 - I36
O17455	PUNCH + DIE SET FOR NIBBLEX	85 - I36	033955	TINMAN'S MALLET	70
O18455	4 PUNCHES SET : Ø 3,3 mm / Ø 4,1 mm / Ø 4,9 mm / Ø 6,2 mm	67 - I36	034155	INTERPERFOR 3,5x15 mm - Notch punching machine	67
O18555	POLYPERFOR - Steel sheet punching machine	67	034255	CLINCHING PLIERS - Bent of 45° - 22 mm	72
O20155	BABY-FIX BRICO - Expansion tool for all metal anchors	26	034355	CLINCHING PLIERS - Bent of 45° - 40 mm	72
O20355	FIX- Professional expansion tool for all metal anchors	26	034455	CLINCHING PLIERS - Bent of 45° - 60 mm	72
O21155	BABY-FIX JUNIOR - Expansion tool for all metal anchors	26	034555	CLINCHING PLIERS - Bent of 45° - 80 mm	72
O21355	SUPER-FIX - Professional expansion tool for all metal anchors	27	034655	CLINCHING PLIERS - Bent of 45° - 100 mm	72
O23155	SUPRA-FIX - Professional expansion gun for all metal anchors	27	034755	CLINCHING PLIERS - Bent of 90° - 40 mm	72
O23255	ULTRA-FIX - Professional expansion gun for all metal anchors	27	034855	CLINCHING PLIERS - Bent of 90° - 60 mm	72
O30055	RET 5 BLADES - 5 blades swaging tool	97	034955	CLINCHING PLIERS - Bent of 90° - 80 mm	72
O30155	ERGO RET 3 BLADES - 3 blades cranked head swaging tool	96	035055	"MAXI-RET 5 BLADES - Compound action swaging tool 5 blades"	96
O30255	ERGO RET 5 BLADES - 5 blades cranked head swaging tool	96	035155	SEAMING IRON - Forged steel seeming iron with flat blade	71
O30355	RET 3 BLADES - 3 blades swaging tool	97	035255	DOUBLE SEAMING IRON - Forged steel double seaming iron	71
O30455	SEAMING PLIER - Straight - 120 mm	74	035455	FOLDING TOOL - "Squeezing folding plier"	71
O30555	SEAMING PLIER - Straight - 180 mm	74	035655	TILE NIBBLER	88
O30655	SEAMING PLIER - Straight - 200 mm	74	035855	ROOFER'S HAMMER	68
O30755	SEAMING PLIER - Bent of 45° - 120 mm	74	035955	FORGED ROOFER'S HAMMER	68
O30855	SEAMING PLIER - Bent of 45° - 180 mm	74	036055	INTERCLIPS ZINC - Clinching pliers for zinc or enamel-plated aluminium gutters	88
O30955	SEAMING PLIER - Bent of 45° - 200 mm	74	036155	SCRIBER TOOL	90
O31055	MAT - Pliers to cut and punch the slate, blade 35 mm	62	036455	SOLDERING SET	89
O31155	35 MM BLADE FOR MAT & MAT COUP	62 - I36	036755	LATHE AXE	87
O31255	PUNCH FOR MAT, MAT 2 & MECA MAT	62 - I36	036855	TRIANGLE BEARING SCRAPER	89
O31355	CUTTING UNIT FOR MAT & MAT COUP	I36	037055	ALPHACUT - Guillotine for cutting fiber cement siding	98
O31555	REPAIR KIT FOR MAT & MAT 2	62 - I36	037255	GROOVING HAMMER	70
O31755	SPRING FOR MAT COUP & MAT COUP 2	I36	037355	ROOFER'S ADZE	87



ITEM CODE	DESIGNATION	PAGE
-----------	-------------	------

038455	"TRADITIONAL" SLATER'S HAMMER - Left handed	64
038555	"CROCOCUT - Hand nibbler shears for fiber cement siding"	98
038655	SQUARE SEAM FOLDER	78
038755	TWIN SQUARE SEAM FOLDER	78
038855	MINI RODCUT M8 - Ø 4, 6, 8 mm rod cutting guillotine	100
038955	"TURBO SHEAR - Drill attachment for larger cordless or cored drill"	85
039055	PUNCH + DIE FOR INTERPERFOR	136
039155	CLINCHING PLIERS - Straight - 22 mm	72
039255	CLINCHING PLIERS - Straight - 40 mm	72
039355	CLINCHING PLIERS - Straight - 60 mm	72
039455	CLINCHING PLIERS - Straight - 80 mm	72
039555	CLINCHING PLIERS - Straight - 100 mm	72
039655	"UNIVERSAL" SLATER'S HAMMER - Right handed	65
039855	CLIN FIX - Set of 2 cladding supports	99
040055	JUNIOR - Hand hog ring pliers with magazine	126
040155	TOP GRAFER I6 - Hand hog ring pliers with magazine	125
040355	TOP GRAFER I8 - Hand hog ring pliers with magazine	125
040455	220 MM CUTTING NIPPERS	129
040555	"TOP GRAFER 30 - Hand hog ring pliers with magazine"	125
040655	BABY GRAFER 30 - Hand hog ring pliers	124
040755	DRESS FIL - Wire tensioner for netting and welded nets	128
041055	MAJOR - Professional hand hog ring pliers with magazine	126
041155	TOP GRAFER 20/22 - Hand hog ring pliers with magazine	125
041255	BABY GRAFER I6/20 - Hand hog ring pliers	124
041455	POWER GRAFER - Automatic hog ring pliers	127
041501	OMEGA I6 STAPLES - Galva A - 250 pcs	134
041601	OMEGA I6 STAPLES - Galva A - 2500 pcs	134
041855	PACK PRO WIRE NET FENCING	126
041901	OMEGA I6 STAPLES - Galva A - 1250 pcs	134
042001	OMEGA 20 STAPLES - Galva A - 1000 pcs	134
042101	OMEGA 20 STAPLES - Aluminium - 1000 pcs	134
042301	OMEGA 20 STAPLES - AISI 316 stainless steel - 1000 pcs	134
042455	PIC 7 - Multi-purpose farming tool	129
042501	OMEGA 20 STAPLES - Galva A - 200 pcs	134
042755	TWISTER - Automatic pocket binder for looped metal bonds	52
042855	MASTER GRAFER - Hog ring pliers for round posts	124
042900	OMEGA 20 STAPLES - Galva white PVC coated - 200 pcs	134
043001	OMEGA 20 STAPLES - Galva green PVC coated - 1000 pcs	134
043501	OMEGA 20 STAPLES - Galva green PVC coated - 200 pcs	134
043700	CL 35 STAPLES - AISI 304 stainless steel - 500 pcs	135
043855	UNI-CLIP BECA - Hog ring pliers for "BECA" type round posts	124
044001	OMEGA I6 STAPLES - Galva green PVC coated - 2500 pcs	134
044201	OMEGA 16 STAPLES - Galva green PVC coated - 1250 pcs	134
044300	OMEGA 16 STAPLES - AISI 316 stainless steel - 1250 pcs	134

ITEM CODE	DESIGNATION	PAGE
-----------	-------------	------

044501	OMEGA 16 STAPLES - Galva green PVC coated - 250 pcs	134
044855	250 MM CUTTING NIPPERS	129
045555	TORNADO PRO - Professional automatic binder for looped metal bonds	52 - 128
046201	2100 GALVANISED CLIPS FOR CONCERTINA	132
046301	2100 STAINLESS STEEL CLIPS FOR CONCERTINA	132
046455	MANUAL GABION PLIER	131
046500	DELTA 30 STAPLES - Galva A - 2500 pcs	135
046601	1000 GALVANISED CLIPS FOR CONCERTINA - Bulk	132
046701	1000 STAINLESS STEEL CLIPS FOR CONCERTINA - Bulk	132
046801	CL 29 STAPLES - AISI 304 stainless steel - 100 pcs	135
046901	CL 29 STAPLES - Galva A - 100 pcs	135
047101	DELTA 30 STAPLES - Galva A - 500 pcs	135
047201	OMEGA 20 STAPLES - Galva black PVC coated - 1000 pcs	134
047300	CL 29 STAPLES - AISI 304 stainless steel - 1000 pcs	135
047400	CL 29 STAPLES - Galva A - 1000 pcs	135
047655	CONCERTINA RAZOR BARBED TAPE PLIER WITH MAGAZINE	132
047755	CONCERTINA RAZOR BARBED TAPE PLIER	132
048455	FENCING TENSION CLAWS x 2	128
049055	HANDLE SPRING FOR JUNIOR	126 - 136
049255	55 MM HANDLE COILED SPRING (SET OF 2) FOR HAND HOG RING PLIERS	136
049555	TURBO 50 GABION PREMIUM - Specific pneumatic gun for GABION rings	130
049855	TURBO 24 - Pneumatic gun for CL 24 rings	133
050155	PIPE POSITIONER NI - Small variable angle vice	97
050255	PIPE POSITIONER N2 - Large variable angle vice	97
060055	PROFIL - Section setting pliers for studs and tracks	12
060155	PUNCHING BLADE FOR PROFIL	12
060555	30 M FAST LINE - Fast rewinding chalk line reel	24
060655	FOLDABLE SAFETY KNIFE WITH HOLSTER	20
060755	30 M ALU LINE - Alu chalk line reel	24
060955	50 M MAX LINE - Chalk line reel with large handle (capacity : 300 g)	24 - 91
061055	PROFIL 2 RM - Section setting pliers for studs and tracks	12
061855	PUNCHING BLADE FOR POWER PROFIL & ERGOTOP	13 - 14 - 136
061955	ERGOTOP - Section setting pliers for all type of studs and tracks	13
062055	MASTER PROFIL - One hand section setting pliers for studs and tracks	12
062155	PUNCHING BLADE FOR MASTER PROFIL	12 - 136
062255	5 SPRINGS FOR MASTER PROFIL	12 - 136
062755	30 M RED LINE ECO - Ultra - light chalk line reel	24
062855	CORNER FIX - Hand tool for fixing metal corner beads	23
062955	PLAC & ROLL - Drywall stripper for cutting plaster strips	21
063155	1000 G BLUE MARKING CHALK	24
063255	400 G BLUE MARKING CHALK	24
063355	200 G BLUE MARKING CHALK	24
063855	200 G RED MARKING CHALK	91
064055	DUOPLAC - 2 board carrier handles	15 - 112
064255	30 M ROOF LINE - Special chalk line reel for roofers	91
064355	1000 G RED MARKING CHALK	91

INDEX



ITEM CODE	DESIGNATION	PAGE	ITEM CODE	DESIGNATION	PAGE
064555	TRANSPLAC - Heavy duty board lifter	15 - 112	085055	"CAMELEON I30 - Mitre guillotine with an interchangeable 130 mm stainless steel blade"	110
064755	VARIO RAP - Plane for plasterboards & wood	20	085355	"PROTECTIVE STRIP FOR WOODEN JOISTS - 70 mm x 16 m "	117
064855	LATTIFIX - Crimping pliers for veined lathing	51	085455	10 PCS OF 3 MM GAP SPACERS	117
064955	400 G RED MARKING CHALK	91	085555	10 PCS OF 5 MM GAP SPACERS	117
065055	MINI RODUT M6 - 6 mm (M6) threaded rod and 4 mm suspension wire cutter	45	085655	10 PCS OF 10 MM GAP SPACERS	117
065155	3500 G RED MARKING CHALK	91	085755	24 GAP SPACERS BUCKET - 3, 5, 7 mm	117
065255	3500 G BLUE MARKING CHALK	24	086455	REVOCUT - Treshold strip guillotine	111
065455	INSIDE CORNER TROWEL	40	086555	PRESS DECK - Decking lath straightener	116
065755	OUTSIDE CORNER TROWEL	40 - 59	086655	RENOV' JOINT - Wood strip flooring joint claw	110
065804	PROFILCUT MEGA - Guillotine for studs and tracks up to 125 mm width	11	087055	"SET TAK-TIK - A complete set for installing laminate flooring "	108
065955	RODCUT - Ø 6, 7, 8, 10 mm rod cutting guillotine	101	087155	MINI TAK-TIK - Basic pulling bar for laminate flooring installation (click-together design)	108
066055	FOOTPLAC - Board lever with steel stirrup	16 - 112	087255	SUPER TAK-TIK - Professional pulling bar for laminate flooring installation (click-together design)	108
066155	160-290 CM MEDIUM QUICK SUPPORT	18	087355	SET OF 40 SPACER BLOCKS	108
066355	75-125 CM SMALL QUICK SUPPORT	18	087555	DECHAUSS' TOUT - Professional telescopic wooden batten remover	86
066455	300 MM INSULATION CUTTER	28	087755	200 MM HEAVY DUTY FLOORING SCRAPER - Ideal for the removal of carpet, or paint, etc	111
066555	BLOC PLAC II - Board holder	16	088055	"KIK-BACK - Set of 2 floor panelling power presses"	109
066655	STAINLESS STEEL MUD PAN	33	088255	DUPLIC FORM - 250 mm contour gauge	109 - 116
066755	EASY RAP - Mini plane for plasterboard	20	088355	ADJUSTABLE SPACER FOR LAMINATE FLOORING	109
066855	ULTRA PROFIL - One hand section setting pliers for all type of studs and tracks, without any effort	13	089055	STRATICUT 230 - Professional laminate flooring guillotine	106
066955	MUD PAN - In P.P. plastic	33	089255	WASTE COLLECTOR FOR STRATICUT	136 - 137
067055	CROCOPLAC II - 150 mm jab saw with teeth on both sides and holster included	21	089755	LAMINOCUT 2 - Laminate, MDF, vinyl flooring cutting guillotine	106
067255	CROCOPLAC II - 250 mm jab saw with teeth on both sides and holster included	21	089955	VARIOCUT - Professionnal guillotine for cutting fiber cement siding	98
067755	CIRCLE CUTTER - Drywall circle cutter	29	090055	HEAVY DUTY SCRAPER - 300 mm	50
067855	210-390 CM GIANT QUICK SUPPORT	18	090155	HEAVY DUTY SCRAPER - 150 mm	50
068155	4 BLADES SET 40, 60, 80, 100 MM FOR CANALCUT	28 - 136	092755	125 MM CURVED DISC - Fine grit	51
069055	CANALCUT - Precision insulation cutter	28	092855	125 MM CURVED DISC - Medium grit	51
069255	RAP PLAC VERSATILE - Chamfering plane for plasterboard	23	095055	HEAVY DUTY SCRAPER - 500 mm	50
069555	SPARE BLADES - TWIN 35 X 35 MM FOR CANALCUT	28 - 136	096055	CONCRETE SPREADER - Ultra resistant heavy-duty spreader	50
069655	TRANSPLAC EASY - PE-HD board lever	15	097055	TECHNOCLEAN 40 - Hand scraper	110
069855	DRYWALL TAPE HOLDER	34	097155	TECHNOCLEAN 60 - Hand scraper	110
069955	ALUMINIUM TROWEL 330 x 330 MM	41	097255	TECHNOCLEAN 80 - Hand scraper	110
070055	MULTI-COUP - Mitre shear for variable corners and angles	43	101055	BLADE FOR SUPERCOUP & NIBBLER SHEARS NRI	84 - 136 - 137
070255	PLATE FOR MULTICOUP MULTICOUP & MULTICOUP EXTRA	136	101455	5 SPRINGS SET FOR TIN SNIPS	136 - 137
070355	I30 MM PLATE FOR WOODYCUT	86 - 136	101555	5 SPRINGS FOR NIBBLER SHEARS	137
071055	"MULTI-COUP' EXTRA - Mitre shears with variable angle cuts"	110	101755	5 SPRINGS SET FOR AVIATION SNIPS	136 - 137
071155	65 MM BLADE FOR MULTI-COUP' EXTRA	110 - 136	102055	UPPER-CUT - Shears "PASSE-FRANC" - Left cut	80
071455	105 MM STAINLESS STEEL BLADE FOR PLURICOUP FLEX 105	136	103055	BLADE FOR SUPERCOUP NR3	84 - 137
071555	INTERCHANGEABLE I30 MM STAINLESS STEEL BLADE FOR WOODYCUT	86 - 136	105055	BLADE FOR SUPERCOUP INOX	84 - 137
072555	PLURI COUP FLEX' 105 MM - Extruded profiled sections cutting pliers 5 x 16 mm	43	109055	APOLLO - Forged "Aviation" snips left cut	10 - 80
073155	"TRIOCOUP' - Cutting tool for PVC, IRL, ICTA and PER tubes, Ø 16, 20 and 25 mm."	100	111055	CUTTING UNIT FOR SUPERCOUP NRI & SUPERCOUP INOX	137
073255	STAINLESS STEEL BLADE FOR TRIOCOUP	100 - 136	112055	AXIS & BOLT FOR BLADE NIBBLER SHEARS	137
073555	PLURICOUP' TOUT - Multi-purpose pliers	10	120000	CL 24 RINGS - Stainless steel - 10 000 pcs	133 - 135
074555	PLURICOUP' ERGO - Multi purpose pliers with angled blades	10 - 129	127055	90° UPPER-CUT - Shears with 90 ° blades - Left cut	81
075055	PLURI COUP EXTRA - PVC ducting and trunking cutting pliers	43	128055	45° FLYER' SL - Shears with 75 mm angled blades - Left cut	81
079055	JUMBO CUT - Guillotine for cutting PVC gutters max. 65 x 65 mm	111	130055	GUTTER GETTER	89
079155	STAINLESS STEEL BLADE FOR JUMBO CUT	111 - 136 - 137			



ITEM CODE	DESIGNATION	PAGE
-----------	-------------	------

I30155	200 MM BENDER 4X4 - Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius	76
I30255	DISK ROLLER - Tool to make bends of 90° to 180° maximum	77
I30355	"BENDER X2 - Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius"	76
I30455	BENDER 4 ROLLS - Tool to make folds, counterfolds, raised areas on sheets	75
I30555	NAIL POUCH	91
I30655	DOUBLE DISK ROLLER - Tool to make bends of 90° to 180° maximum	77
I30755	25 MM EDGE ROLLER - Tool to make bends of 90° to 180° maximum	77
I30855	"BENDER 8 ROLLS - Tool to make folds, counterfolds, raised areas on sheets"	75
I30955	350 MM BENDER 4X4 - Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius	76
I31055	HAMMER FOR ANGLE FLAT SCRAPER	71
I31155	SEAM OPENING PLIERS	79
I31255	BEVEL	90
I31355	BRACKET	90
I31455	ROOF TILE LINE	88
I31555	BOW SAW	87
I31655	BLADE FOR BOW SAW	87
I31755	HAMMER FOR ANGLE FLAT SCRAPER - Special for flat scraper	70
I31855	GUTTER HANGER BENDER	88
I31955	1000 STAPLES FOR PUNCHER - 6 mm	68
I32155	LEAD DRESSER	69
I32255	TILE EDGER	79
I32355	EAVES CLOSING JAWS	79
I32555	SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER	78
I32655	BOSSING STICK	69
I32755	BENDING STICK	69
I32855	SETTING STICK	69
I32955	12 CARPENTER PENCILS	91
I33055	NIBBLER HAND NOTCHER	67
I33355	DECLIMETER	90
I34255	PRESSURE ROLLER WITH BALLBEARINGS - 28 mm	92
I34355	PRESSURE ROLLER WITH BALL BEARINGS - 45 mm	92
I34455	PRESSURE ROLLER WITH BALL BEARINGS CHAMFERED 45° - 45 mm	92
I34555	BRASS PRESSURE ROLLER WITH BALL BEARING - 6 mm	93
I34655	PRESSURE ROLLER WITH PLAIN BEARING - 90 mm	93
I34755	STEEL PRESSURE ROLLER WITH BALL BEARINGS - 40 mm	93
I34855	STEEL PRESSURE ROLLER WITH BALL BEARINGS - 60 mm	93
I34955	WELD SEAM TESTER	94
I35055	SCISSORS FOR ROOF AND SEALING SHEETS	94
I35155	500 ML PLASTIC BOTTLE - With angled brush	94
I35255	GROOVING HAMMER DIFFERENT FACES	70
I35355	32 MM DEAD BLOW SOFT FACED HAMMER	70
I35455	TRIANGULAR CLINCHING PLIERS	73
I35555	CORNER CLINCHING PLIERS	73
I35655	ROUND NOSE PLIERS	73

ITEM CODE	DESIGNATION	PAGE
-----------	-------------	------

135755	FLAT NOSE PLIERS	73
135855	SEAMING PLIERS WITH 45° ANGLE - Straight - 180 mm	74
135955	EAVES EDGER 105 TK	79
136455	BAG OF 25 BRUSHES FOR SOLDERING SET	89
137855	BLADES FOR STAINLESS STEEL SLATE RIPPER - 400 mm	66
137955	BLADES FOR STAINLESS STEEL SLATE RIPPER - 600 mm	66
138555	REPLACEABLE BLADE FOR CROCOCUT	98 - 137
138855	REPLACEABLE DIE M4, M6, M8 FOR MINIRODCUT M8	100 - 137
138955	REPLACEABLE BLADES FOR TURBO SHEAR	85
139655	"UNIVERSAL" SLATER'S HAMMER - Left handed	65
139955	GUTTER CLEANING KIT - Easy and quick	89
I40001	CL 40 STAPLES - Aluzinc - 1000 pcs	131 - 135
146800	CL 29 STAPLES - AISI 304 stainless steel - 500 pcs	135
149155	HANDLE SPRING FOR MAJOR	126 - 136
149455	HOG RING HOLDER FOR JUNIOR	136
149555	HOG RING HOLDER FOR TOP GRAFER 16	136
149655	HOG RING HOLDER FOR TOP GRAFER 18	136
149755	HOG RING HOLDER FOR TOP GRAFER 30	136
149955	HOG RING HOLDER FOR MAJOR	136
150000	CL 50 STAPLES - Aluzinc high tensile - 1600 pcs	131 - 135
160000	CL 50 STAPLES - AISI 304 stainless steel - 1600 pcs	131 - 135
160455	DUO PROFIL - Section setting pliers for back-to-back studs	14
160555	SPARE ROPE FOR CHALKLINE REELS	136 & 137
160600	COUNTER DISPLAY CUTTER WITH 25 MM SNAP-OFF BLADES	19
160655	DRYWALL UTILITY KNIFE - With 25 mm snap-off blades	19
160755	10 SNAP-OFF BLADES, 25 MM	19 - 137
161055	PRESS PLAC PRO - Vertical support for plasterboard	19 - 112
161155	ADJUSTABLE STILTS MOONWALKER - Adjustable stilts	44
161255	EASY LOCK SANDER - For wall and ceiling surface sanding and finishing	42
161355	EASY LOCK TELESCOPIC SANDER - For wall and ceiling surface sanding and finishing ref. I69955 (non included)	42
161455	POWER PROFIL - Automatic section setting pliers for all type of studs and tracks, fits on drills	14
161655	TEK ROLL - Accessory for drywall tapers	34
161855	MUD PAN HOLDER	33
162100	COUNTER DISPLAY 5 M x 25 MM TAPE	25
162155	5 M x 25 MM TAPE MEASURE	25
162255	3 HOLE SAW SET - Ø 60, 67, 74 mm	29
162355	5 HOLE SAW SET - Ø 68, 74, 80, 90, 100 mm	29
162455	SCREW FINDER - Screw finder through plasterboards	31
162655	HSS STEP DRILL - Use for precision drilling of sheet metal and plastic up to 30 mm	30
162855	SET OF 2 JAWS FOR CORNER FIX	23 - 137
162955	SET OF 2 SPARE WHEELS FOR PLAC&ROLL	21 - 22 - 137
163155	DRYWALL SCORING SQUARE	19
163355	ABRASIVE SPONGE - 120 x 90 x 25 MM - Grit 60.	42
163555	ABRASIVE NETTING PAPER 208 x 93 MM - Grit 80	42
163655	10 ABRASIVE NETTING PAPER 208 x 93 MM - Grit 120	42

INDEX



ITEM CODE	DESIGNATION	PAGE	ITEM CODE	DESIGNATION	PAGE
163755	ABRASIVE NETTING PAPER 208 x 93 MM - Grit 240	42	180000	CL 50 STAPLES - Aluzinc low tensile - 1600 pcs	131 - 135
163955	DRILL BIT HOLDER - Philips No.2 drill bit for fixing PE-HD, plasterboard	30	187555	BOX OF 312 BLACK WEDGES - 150 x 45 x 25 mm	119
164055	RUBBER JOINT KNIFE	36	188055	520 PCS FLAT SHIMS PROBOX - 10 x 52 wedges	121
164255	PLAC & ROLL 600 - Drywall stripper 600 mm	22	188155	50 PCS FLAT SHIMS SET - 10 x 5 wedges	121
164355	MULTI PURPOSE PAINT TOOL	32	188255	500 PCS HANGER SHIMS PROBOX - 5 x 100 wedges	121
164555	7 CM PUTTY KNIFE	32	188355	50 PCS HANGER SHIMS SET - 5 x 10 wedges	121
164655	I2 L RUBBER BRICKLAYER'S HOD	32	188455	245 PCS WEDGES PROBOX - 60 orange, 70 green, 75 brown, 40 yellow	119
164755	FLAT RASP FOR VARIORAP	20 - 137	188555	BOX OF 100 BROWN WEDGES - 90 x 45 x 15 mm	119
164955	380 x 160 MM ABRASIVE SANDER, SPECIAL FOR EXTERNAL INSULATION	58	188755	220 K-BLOCK WEDGES PROBOX - For heavy weight (70 wedges of 2 mm, 70 wedges of 5 mm, 60 wedges of 10 mm and 20 wedges of 20 mm)	121
165055	SPARE DIE FOR MINIRODCUT	45 - 137	189055	30 PCS GREEN WEDGES SET - 80 x 30 x 10 mm	118
165155	25 L RUBBER BRICKLAYER'S HOD	32	189155	30 PCS ORANGE WEDGES SET - 80 x 40 x 8 mm	118
165255	JOINT KNIVES - 20 mm	35	189255	16 PCS BROWN WEDGES SET - 90 x 45 x 15 mm	118
165355	JOINT KNIVES - 40 mm	35	189355	6 PCS YELLOW WEDGES SET - 150 x 45 x 25 mm	118
165455	JOINT KNIVES - 60 mm	35	189455	BOX OF 150 PCS OF SOLE - Adjustable Combi Pad for decking	120
165555	JOINT KNIVES - 80 mm	35	189555	BOX OF 300 PCS OF SIZE M WEDGE - Adjustable Combi Pad for decking	120
165655	JOINT KNIVES - 100 mm	35	189655	BOX OF 150 PCS OF EXTENSION - Adjustable Combi Pad for decking	120
165755	JOINT KNIVES - 120 mm	35	189755	BOX OF 150 PCS OF BASE - Adjustable Combi Pad for decking	120
165855	JOINT KNIVES - 150 mm	35	189855	BOX OF 300 PCS OF SIZE L WEDGE - Adjustable Combi Pad for decking	120
165955	REPLACEABLE DIE FOR RODCUT	101 - 137	190000	CL 24 STAPLES - Galva - 10 000 pcs	133 - 135
166155	WIPEDOWN KNIVES WITH LONG HANDLE - 230 mm	39	197055	2 x 40 MM BLADES FOR TECHNOCLEAN 40	137
166255	WIPEDOWN KNIVES WITH LONG HANDLE - 280 mm	39	197155	2 x 60 MM BLADES FOR TECHNOCLEAN 60	137
166355	60 CM TAPING KNIFE	37	197255	2 x 80 MM BLADES FOR TECHNOCLEAN 80	137
166455	INSIDE CORNER ROLLER	40	199255	10 LARGE CUTTING UTILITY BLADES	20 - 23 - 43 - 137
166655	OUTSIDE CORNER ROLLER	40	199655	10 HOOK KNIFE BLADES	137
166755	FLAT RASP FOR EASYRAP	20 - 137	231955	1000 STAPLES FOR PUNCHER - 14 mm	68
166955	CLEAN SANDER - Pole sander adaptable on vacuum cleaner	42	236455	AMMONIA STONE FOR SOLDERING SET	89
167055	CORNER COATING KNIFE	37	249818	UPPER JAW FOR TURBO 50 PREMIUM	130 - 137
167955	HALF ROUND KNIFE	37	249826	LOWER JAW FOR TURBO 50 PREMIUM	130 - 137
168055	420 MM INSULATION CUTTER	28	260055	TOOL POUCH	44 - 91
169055	JOINT KNIVES - 100 mm	35	260455	REPLACEABLE PUNCHING BLADE FOR DUO PROFIL	14 - 137
169155	JOINT KNIVES - 125 mm	35	260955	30 M MAX LINE - Chalk line reels with large handle (Capacity : 400 g)	24
169255	JOINT KNIVES - 150 mm	35	261255	STAINLESS STEEL HOT BALL - Diam. 35 mm	29
169355	JOINT KNIVES - 200 mm	37	261455	STUD FINDER - For wood, electrical wires, metal studs	31
169455	JOINT KNIVES - 250 mm	37	261655	DRYWALL TAPER ROLLER TAPER II WITH TEK ROLL INCLUDED	34
169555	JOINT KNIVES - 300 mm	37	262855	NYLON TIP	23 - 108 - 137
169655	JOINT KNIVES - 350 mm	37	263655	1000 G OVERSEAS BLUE MARKING CHALK	24
169755	WIPEDOWN KNIVES WITH LONG HANDLE - 125 mm	39	263955	6 PCS PH2 DRYWALL BIT	30
169855	WIPEDOWN KNIVES WITH LONG HANDLE - 180 mm	39	264755	ROUNDED RASP FOR VARIORAP	20 - 137
169955	TELESCOPIC HANDLE	39	265155	COATING KNIVES, CURVED SHAPE - 100 mm	36
170055	MULTI COUP BOX	43	265255	COATING KNIVES, CURVED SHAPE - 120 mm	36
171155	4 CM PERFECT LISS	38	265355	COATING KNIVES, CURVED SHAPE - 140 mm	36
171455	10 CM PERFECT LISS	38	265455	COATING KNIVES, CURVED SHAPE - 160 mm	36
171655	15 CM PERFECT LISS	38	265555	COATING KNIVES, CURVED SHAPE - 180 mm	36
171755	25 CM PERFECT LISS	38	265655	COATING KNIVES, CURVED SHAPE - 200 mm	36
171955	45 CM PERFECT LISS	38	265755	COATING KNIVES, CURVED SHAPE - 220 mm	36
172055	60 CM PERFECT LISS	38 - 59	265855	COATING KNIVES, CURVED SHAPE - 240 mm	36
172155	80 CM PERFECT LISS	38			
172255	100 CM PERFECT LISS	38			
172455	60 CM PERFECT LISS - SPECIAL EXTERNAL WALL COATING AND WALL SCRAPER	59			
172555	2 x 1 M PERFECT LISS EXTENSION	38			
172955	60 CM TOOTHED BLADE PERFECT LISS	59			
173055	ADJUSTABLE ANGLE SQUARE	25			
173155	600 MM MASON SQUARE	25 - 95			



ITEM CODE	DESIGNATION	PAGE
266055	PLASTERING TROWEL, 280 x 120 MM FLAT STAINLESS STEEL BLADE	41
266155	PLASTERING TROWEL 280 x 120 MM CURVED STAINLESS STEEL BLADE	41
266255	PLASTERING TROWEL, 280 x 120 MM BEVELED STAINLESS STEEL BLADE	41
266355	FLOORING TROWEL WITH 455 MM STAINLESS STEEL BLADE	50
266455	TAPE BUDDY - Joint tape machine	34
266555	HOT WIRE CUTTING TABLE FOR EPS	56
266655	HOT WIRE CUTTING ARK FOR EPS	57
266855	I370 MM SPARE HOT WIRE	57
266955	REBAR GUILLOTINE - Max. bending 16 mm / max. cutting 18 mm	51
269055	SLAB LIFTER - Adjustable brick carrier 380-625 mm	17 - 95
289955	MEGA STRATICUT 400 - Super professional laminate flooring guillotine	63 - 107
290255	1 ST CHOICE BEECH WOOD HANDLE Ø 32	50
310780	COUNTER DISPLAY FLYER'S	10
360555	COUNTER DISPLAY FAST LINE	24
360655	COUNTER DISPLAY 6 PCS OF FOLDABLE SAFETY KNIFE	20
360755	COUNTER DISPLAY ALU LINE	24
364255	COUNTER DISPLAY FOR ROOF LINE	91
366755	HOT KNIFE FOR CUTTING EPS FOAM	58
374510	COUNTER DISPLAY PLURICOUPE ERGO	10
389055	POS DISPLAY STRATICUT	106
389755	POS DISPLAY LAMINOCUT	106
390600	COUNTER DISPLAY ABRADISC - 3 pcs of fine grit discs + 6 pcs of medium grit discs	51

ITEM CODE	DESIGNATION	PAGE
466755	20 CM SPARE BLADE FOR HOT KNIFE	58
566855	PUNCHING BLADE FOR ULTRA PROFIL	13
610000	COUNTER DISPLAY DUO PROFIL	14
900460	DELTA 22 STAPLES - Galva A - 1000 pcs	134
900461	DELTA 22 STAPLES - AISI 316 stainless steel - 1000 pcs	134
900463	DELTA 22 STAPLES - Galva green PVC coated - 1000 pcs	134
900466	DELTA I8 STAPLES - Cooper - 3360 pcs	134
900470	OMEGA I8 STAPLES - Galva A - 1200 pcs	134
900480	OMEGA I8 STAPLES - Galva green PVC coated - 3000 pcs	134
960449	1000 LOOPED METAL BONDS - ANNEALED - Annealed steel looped bonds Ø 1,1 x 120 mm	52
960452	1000 LOOPED METAL BONDS - GALVANIZED - Galvanized steel looped bonds Ø 1 mm x 120 mm	52 - 128
960453	5000 LOOPED METAL BONDS - ANNEALED - Annealed steel looped bonds Ø 1,1 x 120 mm	52
960457	1000 LOOPED METAL BONDS - ANNEALED - Annealed steel looped bonds Ø 1,1 x 100 mm	52
960458	1000 LOOPED METAL BONDS - ANNEALED - Annealed steel looped bonds 1,1 x 160 mm	52
960459	5000 LOOPED METAL BONDS - ANNEALED - Annealed steel looped bonds 1,1 x 140 mm	52
961480	1000 LOOPED METAL BONDS - ANNEALED - Annealed steel looped bonds Ø 1,1 x 140 mm	52
962449	1000 LOOPED METAL BONDS - ANNEALED - Annealed steel looped bonds Ø 1,1 x 200 mm	52
963453	1000 LOOPED METAL BONDS - ANNEALED - Annealed steel looped bonds Ø 1,1 x 180 mm	52
	SPARE PARTS	136 - 137



# LEGEND



New product



To prevent  
Musculoskeletal  
Disorders



New EDMA product  
Unique in the  
market



Stainless steel tool



Only in EDMA  
product line



German regulation  
about product  
safety



Patented tool



Flash this code to  
watch the demo  
video



Invented by EDMA




Display box  
available



New high-resistant  
blade for all nibbler  
shears



Spare parts



# **NEW WEBSITE**

**www.edma.fr**

Thanks to its new website, EDMA introduces its entire product line for professional contractors.


The EDMA website is very ergonomic and easy to navigate. By the name or reference number, the new search browser will find you easily the product that you are looking for.

On the product page, you can watch application pictures, demo videos (if available) and also you can download A4 product sheet (PDF file) for each product.

On the main page, you can find EDMA news, press releases, warranties and services.

Distributors can also access to the new PRO ACCESS to download videos, pictures, catalogues, leaflets and more.

**www.edma.fr**



 French manufacturer since 1937



Going green with long lasting tools

Search tool

Search



Consult our  
**CATALOG PDF**

More than 500  
references

Access S  
**PRO**

Customer  
Account



OUR COMPANY ▾

OUR PROFESSIONAL TOOLS ▾

NEWS

GUARANTEES AND SERVICES

EVENTS

CONTACT



# TIME SAVING

1 2 3 4 5 6 7 8 9

17-10-2014

**NOUVEAU CATALOGUE EDMA 2015 2016 !**

EDMA sort son nouveau catalogue 2015 2016 avec de nombreuses innovations pour les professionnels de la construction !...

Read more

**Best of PROFILCUT - GUILLOTINE FOR 48MM STUDS AND**

Range of tools  
**DRYWALLER /  
BRICKLAYER TOOLS**

Range of tools  
**INDUSTRIAL TOOLS  
SNIPS**

Range of tools  
**PLUMBER ROOFER  
TOOLS**

Range of tools  
**FLOOR COVERING  
TOOLS**

Range of tools  
**PERIMETER  
PROTECTION**

# EDMA®

Going green with long lasting tools®



[www.edma.fr](http://www.edma.fr)